

```

===== Legend
PROGRAM LEGEND
=====
VERSION 80-1 (SEPTEMBER 1980) Legend
VERSION 84-1 (NOVEMBER 1984) Legend
VERSION 86-1 (JANUARY 1986) *CORRECTED BASED ON USER COMMENTS Legend
                        *FORTRAN-77/H VERSION Legend
VERSION 87-1 (JANUARY 1987) *CORRECTED BASED ON USER COMMENTS Legend
VERSION 88-1 (JULY 1988) *OPTION...INTERNALLY DEFINE ALL I/O Legend
                        FILE NAMES (SEE, SUBROUTINE FILEIO Legend
                        FOR DETAILS). Legend
                        *IMPROVED BASED ON USER COMMENTS. Legend
VERSION 89-1 (JANUARY 1989) *PSYCHOANALYZED BY PROGRAM FREUD TO Legend
                        INSURE PROGRAM WILL NOT DO ANYTHING Legend
                        CRAZY. Legend
                        *UPDATED TO USE NEW PROGRAM CONVERT Legend
                        KEYWORDS. Legend
                        *ADDED LIVERMORE CIVIC COMPILER Legend
                        CONVENTIONS. Legend
VERSION 92-1 (JANUARY 1992) *FOR ANGULAR DISTRIBUTIONS CALCULATED Legend
                        FROM LEGENDRE COEFFICIENTS, INTERVAL Legend
                        HALF TO CONVERGENCE. Legend
                        *UPDATED BASED ON USER COMMENTS Legend
                        *ADDED FORTRAN SAVE OPTION Legend
                        *ADDED SELECTED OF DATA TO PROCESS Legend
                        BY MAT/MF/MT/ENERGY RANGES. Legend
                        *WARNING...THE INPUT PARAMETER FORMAT Legend
                        HAS BEEN CHANGED - FOR DETAILS SEE Legend
                        BELOW. Legend
VERSION 92-2 (SEPT. 1992) *CORRECTED PROCESSING OF ISOTROPIC Legend
                        ANGULAR DISTRIBUTIONS Legend
VERSION 94-1 (JANUARY 1994) *VARIABLE ENDF/B DATA FILENAMES Legend
                        TO ALLOW ACCESS TO FILE STRUCTURES Legend
                        (WARNING - INPUT PARAMETER FORMAT Legend
                        HAS BEEN CHANGED) Legend
                        *CLOSE ALL FILES BEFORE TERMINATING Legend
                        (SEE, SUBROUTINE ENDIT) Legend
VERSION 96-1 (JANUARY 1996) *COMPLETE RE-WRITE Legend
                        *IMPROVED COMPUTER INDEPENDENCE Legend
                        *ALL DOUBLE PRECISION Legend
                        *ON SCREEN OUTPUT Legend
                        *UNIFORM TREATMENT OF ENDF/B I/O Legend
                        *IMPROVED OUTPUT PRECISION Legend
                        *INCREASED MAX. POINTS FROM 5,000 Legend
                        TO 20,000. Legend
VERSION 99-1 (MARCH 1999) *CORRECTED CHARACTER TO FLOATING Legend
                        POINT READ FOR MORE DIGITS Legend
                        *UPDATED TEST FOR ENDF/B FORMAT Legend
                        VERSION BASED ON RECENT FORMAT CHANGE Legend
                        *GENERAL IMPROVEMENTS BASED ON Legend
                        USER FEEDBACK Legend
VERS. 2000-1 (FEBRUARY 2000) *GENERAL IMPROVEMENTS BASED ON Legend
                        USER FEEDBACK Legend
VERS. 2001-1 (MARCH 2001) *UPDATED TO HANDLE COMBINATIONS OF Legend
                        LEGENDRE COEFFICIENTS AT LOW ENERGY Legend
                        AND TABULATED DATA AT HIGH ENERGY. Legend
VERS. 2002-1 (MAY 2002) *OPTIONAL INPUT PARAMETERS Legend
VERS. 2004-1 (MARCH 2004) *ADDED INCLUDE FOR COMMON Legend
                        *ZERO ANGULAR DISTRIBUTIONS ARE O.K. Legend
                        (PREVIOUSLY ZERO OR NEGATIVE WAS Legend
                        TREATED AS AN ERROR - ZERO IS O.K. Legend
                        FOR SOME REACTIONS OVER SOME COSINE Legend
                        RANGES) Legend
VERS. 2006-1 (MARCH 2006) *INCREASED MAXIMUM NUMBER OF LEGENDRE Legend
                        COEFFICIENTS FROM 50 TO 500. Legend
                        WARNING - THE RECURSION RELATIONSHIP Legend
                        FOR LEGENDRE POLYNOMIALS BECOMES Legend
                        UNSTABLE IN HIGHER ORDER POLYTNOMIALS Legend
                        EVEN USING DOUBLE PRECISION. Legend
VERS. 2007-1 (JAN. 2007) *CHECKED AGAINST ALL ENDF/B=VII. Legend

```

		*INCREASED MAX. POINTS FROM 60,000 TO 240,000.	Legend
VERS. 2007-2 (MAY 2007)		*CORRECTED SIZE OF XMUBASE IN ANGLE FOR INCREASED NUMBER OF COEFFICIENTS.	Legend
VERS. 2010-1 (Apr. 2010)		*General update based on user feedback	Legend
VERS. 2012-1 (Aug. 2012)		*added CODENAME	Legend
		*32 and 64 bit Compatible	Legend
		*Added ERROR stop	Legend
VERS. 2015-1 (Jan. 2015)		*Extended OUT9	Legend
		*Replaced ALL 3 way IF Statements.	Legend
VERS. 2015-2 (Oct. 2015)		*OPEN optional LEGEND.INP after OPENING LEGEND.LST.	Legend
		*Coefficient checks are turned OFF if LEGEND.INP is missing = this agrees with BEST INPUT.	Legend
		*Switched from LISTO to LISTO9 (no 10 digit output)	Legend
VERS. 2016-1 (May 2016)		*Changed multiple IF statement to accommodate compiler optimizer	Legend
		*Increased Maximum allowed points per angular distribution from 900 to MAXPOINT (currently 240,000)	Legend
VERS. 2017-1 (May 2017)		*More tests. Expanded to handle new R-M (LRF=7) detailed angular distributions.	Legend
		*Max. points increased to 3,000,000.	Legend
		*All floating input parameters changed to character input + IN9 conversion.	Legend
		*If near COS=0 - set = 0	Legend
		*Default changed to negative fixes.	Legend
		*At end print tallies for, 1-Number of negative distributions. 2-Number of duplicate or out-of-order Energies	Legend
VERS. 2018-1 (Jan. 2018)		*Added on-line output for ALL ENDERROR	Legend
OWNED, MAINTAINED AND DISTRIBUTED BY			Legend
-----			Legend
THE NUCLEAR DATA SECTION			Legend
INTERNATIONAL ATOMIC ENERGY AGENCY			Legend
P.O. BOX 100			Legend
A-1400, VIENNA, AUSTRIA			Legend
EUROPE			Legend
ORIGINALLY WRITTEN BY			Legend
-----			Legend
Dermott E. Cullen			Legend
PRESENT CONTACT INFORMATION			Legend
-----			Legend
Dermott E. Cullen			Legend
1466 Hudson Way			Legend
Livermore, CA 94550			Legend
U.S.A.			Legend
Telephone 925-443-1911			Legend
E. Mail RedCullen1@Comcast.net			Legend
Website RedCullen1.net/HOMEPAGE.NEW			Legend
PURPOSE			Legend
-----			Legend
CALCULATE LINEARLY INTERPOLABLE TABULATED ANGULAR DISTRIBUTIONS STARTING FROM DATA IN THE ENDF/B FORMAT. ANGULAR DISTRIBUTIONS MAY BE DESCRIBED IN THE ENDF/B FORMAT IN ONE OF THREE WAYS. FOR EACH OF THESE THREE FORMS THE USER MAY CHOOSE (SEE, INPUT OPTIONS) TO EITHER COPY EACH TYPE OF DATA OR TO PROCESS IT AT AS FOLLOWS,			Legend
(1) ANGULAR DISTRIBUTION IS ISOTROPIC AT ALL ENERGIES (LTT=0)			Legend
-----			Legend
IN THIS CASE THE INPUT DATA DOES NOT INCLUDE ANY ANGULAR DISTRIBUTIONS. A SECTION MERELY CONTAINS A FLAG TO INDICATE			Legend

- (1) NOT PERFORM ANY CORRECTIVE ACTION. Legend
- (2) FOR TABULATED DISTRIBUTIONS - ADD THE SAME VALUE TO EACH POINT Legend
 VALUE SUCH THAT WHEN THE DISTRIBUTION IS RE-NORMALIZED THE Legend
 MINIMUM VALUE IS 0.001 (1 MILLI-BARN). THE MINIMUM VALUE CAN Legend
 BE CHANGED BY INPUT. WARNING...EXCEPT FOR SELECTION OF THE Legend
 MINIMUM VALUE (BY INPUT) THE USER HAS NO CONTROL OVER HOW Legend
 MUCH THE DISTRIBUTION IS CHANGED. THEREFORE THIS OPTION SHOULD Legend
 BE USED WITH CAUTION. Legend
- (3) FOR LEGENDRE COEFFICIENTS ONE OF TWO OPTIONS MAY BE SELECTED, Legend
- (A) CHANGE INDIVIDUAL COEFFICIENTS (NO ONE COEFFICIENT BY MORE Legend
 THAN 1 PER-CENT) TO MAKE THE DISTRIBUTION POSITIVE WITH A Legend
 MINIMUM VALUE OF 0.001 (1 MILLI-BARN). THE MAXIMUM PER-CENT Legend
 CHANGE IN EACH COEFFICIENT AND MINIMUM VALUE MAY BE CHANGED Legend
 BY INPUT. INPUT THE PROGRAM CANNOT MAKE THE DISTRIBUTION Legend
 POSITIVE BY CHANGING EACH COEFFICIENT BY UP TO THE MAXIMUM Legend
 ALLOWABLE AMOUNT, THE ORIGINAL ANGULAR DISTRIBUTION OR Legend
 COEFFICIENTS WILL BE OUTPUT. ONLY IN THE LATTER CASE SHOULD Legend
 ONE CONSIDER USING OPTION (B) DESCRIBED BELOW. Legend
- (B) LOGICALLY ADD THE SAME VALUE TO EACH POINT VALUE SUCH THAT Legend
 WHEN THE DISTRIBUTION IS RE-NORMALIZED THE MINIMUM VALUE IS Legend
 0.001 (1 MILLI-BARN). THIS IS EQUIVALENT AT INCREASING P0 Legend
 BY A CERTAIN AMOUNT AND RE-NORMALIZATION IS EQUIVALENT TO THEN Legend
 DIVIDING EACH COEFFICIENT BY A CERTAIN AMOUNT. THEREFORE, Legend
 WHAT IS PHYSICALLY DONE BY THE PROGRAM IS TO DIVIDE EACH Legend
 COEFFICIENT BY THE SAME AMOUNT. WARNING...EXCEPT FOR SELECTION Legend
 OF THE MINIMUM VALUE (BY INPUT) THE USER HAS NO CONTROL OVER Legend
 HOW MUCH THE DISTRIBUTION IS CHANGED. THEREFORE THIS OPTION Legend
 SHOULD BE USED WITH CAUTION. Legend

WARNING MESSAGES FROM PROGRAM

 THE WARNING MESSAGES PRINTED BY THIS PROGRAM SHOULD ONLY BE Legend
 CONSIDERED TO BE EXACTLY THAT..WARNINGS..NOT AN ABSOLUTE JUDGEMENT Legend
 BY THIS PROGRAM THAT THERE IS SOMETHING WRONG WITH THE DATA. WHEN Legend
 WARNING MESSAGES ARE PRINTED EXAMINE THE DATA AND EITHER TAKE NO Legend
 ACTION (IF YOU FEEL THAT THE DATA IS O.K.) OR CORRECT THE DATA Legend
 (IF YOU FEEL THAT THE DATA IS INCORRECT AND YOU CAN CORRECT IT). Legend

VALIDITY OF MODIFIED DATA

 BEFORE BELIEVING AND USING DATA WHICH HAS BEEN MODIFIED (EITHER Legend
 TABULATED ANGULAR DISTRIBUTIONS OR LEGENDRE COEFFICIENTS) THE USER Legend
 SHOULD INSURE THAT THE MODIFIED DATA IS PHYSICALLY MORE ACCEPTABLE Legend
 THAN THE ORIGINAL DATA. IN ORDER TO DO THIS ONE OR MORE OF THE Legend
 FOLLOWING METHODS SHOULD BE USED, Legend

- (1) USE THE ENERGY VARIATION TESTS BUILT-IN TO THIS PROGRAM AND Legend
 EVALPLOT TO PLOT THE ENERGY DEPENDENCE OF THE LEGENDRE Legend
 COEFFICIENTS IN ORDER TO IDENTIFY AND CORRECT (BY HAND...NOT Legend
 BY THIS PROGRAM) ANY COEFFICIENTS WHICH HAVE UNREALISTIC Legend
 ENERGY AND L ORDER VARIATIONS. THIS SHOULD ALWAYS BE DONE Legend
 FIRST TO ELIMINATE MAJOR PROBLEMS BEFORE USING THIS PROGRAM Legend
 TO AUTOMATICALLY MAKE MINOR CORRECTIONS. Legend
- (1) OUTPUT AND PLOT THE UNCORRECTED AND CORRECTED ANGULAR Legend
 DISTRIBUTIONS. COMPARE THE PLOTS TO INSURE THAT THE CORRECTED Legend
 DATA DOES NOT SERIOUSLY CHANGE THE ENERGY DEPENDENCE OF THE Legend
 ANGULAR DISTRIBUTION. Legend
- (2) IF PLOTTING CAPABILITY IS NOT AVAILABLE, USE THE PRINTED OUT Legend
 OF THIS PROGRAM TO DETERMINE HOW MUCH THE TABULATED ANGULAR Legend
 DISTRIBUTION OR LEGENDRE COEFFICIENTS HAVE BEEN MODIFIED. Legend
 GENERALLY IF ONE COEFFICIENT HAS BEEN ONLY SLIGHTLY MODIFIED Legend
 THE DISTRIBUTION WILL BE ACCEPTABLE. HOWEVER IF MANY Legend
 COEFFICIENTS HAVE BEEN MODIFIED THE RESULT WILL NOT BE Legend
 RELIABLE. Legend

SEEING ANGULAR DISTRIBUTIONS AND LEGENDRE COEFFICIENTS

 PROGRAM EVALPLOT CAN BE USED TO PLOT ANGULAR DISTRIBUTION AND Legend
 LEGENDRE COEFFICIENTS - WHEN IT COMES TO CHECKING THIS TYPE OF Legend
 DATA THERE IS NO SUBSTITUTE FOR PLOTS OF THE DATA TO MAKE THE Legend
 JOB EASY AND STRAIGHTFORWARD. Legend

FOR LEGENDRE COEFFICIENTS EVALPLOT CAN BE USED TO SEE THE ENERGY DEPENDENCE OF EACH COEFFICIENT - THIS IS AN EXTREMELY EASY AND USEFUL WAY TO CHECK FOR ERRORS IN THE BASIC DATA.

FOR ANGULAR DISTRIBUTION EVALPLOT CAN BE USED TO PLOT THEM AT EACH ENERGY THAT THEY ARE TABULATED - THIS IS ALSO AN EASY AND USEFUL WAY TO CHECK FOR ERRORS.

I/O UNIT DEFINITIONS

UNIT DESCRIPTION

2	INPUT CARDS
3	OUTPUT REPORT
10	ORIGINAL DATA IN ENDF/B FORMAT
11	FINAL DATA IN ENDF/B FORMAT

OPTIONAL STANDARD FILE NAMES (SEE SUBROUTINE FILIO1 AND FILIO2)

UNIT FILE NAME

2	LEGEND.INP
3	LEGEND.LST
10	ENDFB.IN
11	ENDFB.OUT

INPUT CARD

CARD COLS. FORMAT DESCRIPTION

1	1-11	E11.4	FRACTIONAL THINNING CRITERIA	Legend
	12-22	I11	MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS)	Legend
			*THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE.	Legend
			*IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000.	Legend
	23-33	I11	TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) = 2 - LINEARIZE AND THIN TABLES (OUTPUT TABLES)	Legend Legend Legend
	34-44	I11	LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS).	Legend Legend Legend
	45-55	I11	NEGATIVE ANGULAR DISTRIBUTION TREATMENT. = 0 - NO CORRECTION = 1 - TABULATE DATA - NO CORRECTION. - LEGENDRE DATA - CHANGE COEFFICIENTS (NONE BY MORE THAN 1.0 PER-CENT - CAN BE CHANGED BY INPUT). = 2 - FORCE DISTRIBUTIONS TO BE POSITIVE (TABULATED OR LEGENDRE DATA).	Legend Legend Legend Legend
	56-66	I11	LEGENDRE COEFFICIENT VARIATION TEST FLAG. = 0 - TEST TESTS. = 1 - PERFORM TESTS, (A) LEGENDRE ORDER INCREASES WITH ENERGY. (C) MONOTONIC VARIATION OF COEFFICIENTS AS A FUNCTION OF ENERGY. (C) COEFFICIENTS DECREASE AS A FUNCTION OF LEGENDRE ORDER.	Legend Legend Legend Legend Legend
2	1-60	60A1	ENDF/B INPUT DATA FILENAME (STANDARD OPTION = ENDFB.IN)	Legend
3	1-60	60A1	ENDF/B OUTPUT DATA FILENAME (STANDARD OPTION = ENDFB.OUT)	Legend

AND OUTPUT CORRECTED LEGENDRE COEFFICIENTS AND UNCORRECTED
TABULATED ANGULAR DISTRIBUTIONS. FOR MAT=1800, MT=2 CORRECT
NEGATIVE ANGULAR DISTRIBUTIONS TO INSURE THE MINIMUM IS 0.01
(10 MILLI-BARNS) ALLOWING EACH LEGENDRE COEFFICIENT TO CHANGE BY
UP TO 0.02 (2 PER-CENT). ALL OTHER MAT/MT/E WILL BE CORRECTED
TO A MINIMUM OF 0.001 (1 MILLI-BARN) ALLOWING A 0.01 (1 PER-CENT)
CHANGE (BUILT-IN OPTION).

READ /ENDFB6/K300/LEAD.IN AND WRITE /ENDFB6/K300/LEAD.OUT

THE FOLLOWING 5 INPUT LINES ARE REQUIRED,

1.00000- 3 501 2 2 1
/ENDFB6/K300/LEAD.IN
/ENDFB6/K300/LEAD.OUT
1800 4 2 1800 4 2 0.00000+ 0 3.00000+ 7 1.00000- 2 2.00000- 2
(BLANK CARD TERMINATED INPUT)

EXAMPLE INPUT NO. 4

TO COPY TABULATED ANGULAR DISTRIBUTION AND CONVERT LEGENDRE
COEFFICIENTS TO UNCORRECTED TABULAR DISTRIBUTIONS.

USE THE DEFAULT FILENAMES ENDFB.IN AND ENDFB.OUT (THIS CAN BE
DONE BY LEAVING THE SECOND AND THIRD INPUT LINES BLANK).

THE FOLLOWING 4 INPUT LINES ARE REQUIRED,

1.00000- 3 501 0 1 0

(BLANK CARD TERMINATED INPUT)

===== Legend