

```

=====SIGMA1
PROGRAM SIGMA1
=====
VERSION 73-1 (MARCH 1973) SIGMA1
VERSION 76-1 (FEBRUARY 1976) SIGMA1
VERSION 76-2 (OCTOBER 1976) SIGMA1
VERSION 77-1 (JANUARY 1977) SIGMA1
VERSION 78-1 (JULY 1978) SIGMA1
VERSION 79-1 (JULY 1979) CDC-7600 AND CRAY-1 VERSION. SIGMA1
VERSION 80-1 (MAY 1980) IBM, CDC AND CRAY VERSION SIGMA1
VERSION 80-2 (DECEMBER 1980) IMPROVED BASED ON USER COMMENTS. SIGMA1
VERSION 81-1 (MARCH 1981) DOUBLE PRECISION IBM VERSION SIGMA1
VERSION 81-2 (AUGUST 1981) IMPROVED IBM SPEED AND STABILITY SIGMA1
VERSION 82-1 (JANUARY 1982) IMPROVED COMPUTER COMPATIBILITY SIGMA1
VERSION 83-1 (JANUARY 1983) *MAJOR RE-DESIGN. SIGMA1
*PAGE SIZE INCREASED - 1002 TO 2004. SIGMA1
*ELIMINATED COMPUTER DEPENDENT CODING. SIGMA1
*NEW, MORE COMPATIBLE I/O UNIT NUMBER. SIGMA1
*ADDED STANDARD ALLOWABLE ERROR OPTION SIGMA1
(CURRENTLY 0.1 PER-CENT). SIGMA1
*UNRESOLVED RESONANCE REGION COPIED. SIGMA1
*1/V EXTENSION OF CROSS SECTIONS SIGMA1
OUTSIDE OF TABULATED ENERGY RANGE AND SIGMA1
INTO UNRESOLVED ENERGY RANGE. SIGMA1
VERSION 83-2 (OCTOBER 1983) *IMPROVED BASED ON USER COMMENTS. SIGMA1
VERSION 84-1 (APRIL 1984) *IMPROVED NUMERICAL STABILITY. SIGMA1
*PARTIAL EVALUATION TREATMENT. SIGMA1
VERSION 85-1 (APRIL 1985) *ITERATE TO CONVERGENCE (USING THE SAME SIGMA1
ENERGY GRID FOR HOT CROSS SECTION AS SIGMA1
COLD CROSS SECTIONS WAS FOUND TO BE SIGMA1
INACCURATE). SIGMA1
*NEW FASTER HIGH ENERGY BROADENING. SIGMA1
*UPDATED FOR ENDF/B-6 FORMATS. SIGMA1
*SPECIAL I/O ROUTINES TO GUARANTEE SIGMA1
ACCURACY OF ENERGY. SIGMA1
*DOUBLE PRECISION TREATMENT OF ENERGY SIGMA1
(REQUIRED FOR NARROW RESONANCES). SIGMA1
VERSION 85-2 (AUGUST 1985) *FORTRAN-77/H VERSION SIGMA1
VERSION 86-1 (JANUARY 1986) *ENERGY DEPENDENT SCATTERING RADIUS SIGMA1
VERSION 88-1 (JULY 1988) *OPTION...INTERNALLY DEFINE ALL I/O SIGMA1
FILE NAMES (SEE, SUBROUTINE FILEIO SIGMA1
FOR DETAILS). SIGMA1
*IMPROVED BASED ON USER COMMENTS. SIGMA1
VERSION 89-1 (JANUARY 1989) *PSYCHOANALYZED BY PROGRAM FREUD TO SIGMA1
INSURE PROGRAM WILL NOT DO ANYTHING SIGMA1
CRAZY. SIGMA1
*UPDATED TO USE NEW PROGRAM CONVERT SIGMA1
KEYWORDS. SIGMA1
*ADDED LIVERMORE CIVIC COMPILER SIGMA1
CONVENTIONS. SIGMA1
VERSION 90-1 (JUNE 1990) *UPDATED BASED ON USER COMMENTS SIGMA1
*ADDED FORTRAN SAVE OPTION SIGMA1
*NEW MORE CONSISTENT ENERGY OUTPUT SIGMA1
ROUTINES SIGMA1
VERSION 91-1 (JULY 1991) *WARNING...INPUT PARAMETER FORMAT SIGMA1
HAS BEEN CHANGED - SEE BELOW FOR SIGMA1
DETAILS. SIGMA1
*ADDED CHARGED PARTICLE PROJECTILES SIGMA1
*OUTPUT ENERGY RANGE IS ALWAYS AT SIGMA1
LEAST AS LARGE AS INPUT ENERGY RANGE. SIGMA1
*NO 1/V EXTENSION OF CROSS SECTIONS SIGMA1
FROM UNRESOLVED ENERGY RANGE. SIGMA1
VERSION 92-1 (JANUARY 1992) *INSURE MINIMUM AND MAXIMUM CROSS SIGMA1
SECTIONS ARE ALWAYS KEPT (NOT THINNED) SIGMA1
*MT=19 (FIRST CHANCE FISSION) TREATED SIGMA1
THE SAME AS FISSION. SIGMA1
*VARIABLE MINIMUM CROSS SECTION OF SIGMA1
INTEREST - TO ALLOW SMALL CROSS SIGMA1
SECTIONS NEAR THRESHOLDS TO BE SIGMA1
TREATED PROPERLY. SIGMA1

```

	*ALL ENERGIES INTERNALLY ROUNDED PRIOR TO CALCULATIONS.	SIGMA1
	*COMPLETELY CONSISTENT I/O AND ROUNDINGS ROUTINES - TO MINIMIZE COMPUTER DEPENDENCE.	SIGMA1
VERSION 92-2 (JULY 1992)	*CORRECTED BUG ASSOCIATED WITH THRESHOLD REACTIONS.	SIGMA1
	*UNRESOLVED REGION COPIED WITHOUT THINNING (IT SHOULD BE EXACTLY THE SAME AT ALL TEMPERATURES).	SIGMA1
	*NO THINNING OF REACTIONS (MT) THAT WERE NOT BROADENED.	SIGMA1
VERSION 93-1 (APRIL 1993)	*INCREASED PAGE SIZE FROM 2004 TO 24000 ENERGY POINTS.	SIGMA1
VERSION 94-1 (JANUARY 1994)	*VARIABLE ENDF/B DATA FILENAMES TO ALLOW ACCESS TO FILE STRUCTURES (WARNING - INPUT PARAMETER FORMAT HAS BEEN CHANGED)	SIGMA1
	*CLOSE ALL FILES BEFORE TERMINATING (SEE, SUBROUTINE ENDIT)	SIGMA1
VERSION 96-1 (JANUARY 1996)	*COMPLETE RE-WRITE	SIGMA1
	*IMPROVED COMPUTER INDEPENDENCE	SIGMA1
	*ALL DOUBLE PRECISION	SIGMA1
	*ON SCREEN OUTPUT	SIGMA1
	*UNIFORM TREATMENT OF ENDF/B I/O	SIGMA1
	*IMPROVED OUTPUT PRECISION	SIGMA1
	*DEFINED SCRATCH FILE NAMES	SIGMA1
	*ALWAYS INCLUDE THERMAL VALUE	SIGMA1
VERSION 97-1 (APRIL 1997)	*OPTIONALLY SET NEGATIVE CROSS SECTIONS = 0 ON INPUT AND OUTPUT.	SIGMA1
	*INCREASED PAGE SIZE FROM 24000 TO 60000 ENERGY POINTS.	SIGMA1
VERSION 99-1 (MARCH 1999)	*CORRECTED CHARACTER TO FLOATING POINT READ FOR MORE DIGITS	SIGMA1
	*UPDATED TEST FOR ENDF/B FORMAT VERSION BASED ON RECENT FORMAT CHANGES	SIGMA1
	*TREAT LOW ENERGY INITIAL CROSS SECTIONS AS LOG-LOG INTERPOLABLE	SIGMA1
	*CONSTANT (RATHER THAN 1/V) EXTENSION TO HIGHER ENERGY.	SIGMA1
	*UPDATED CONSTANTS BASED ON CSEWG SUBCOMMITTEE RECOMMENDATIONS	SIGMA1
	*GENERAL IMPROVEMENTS BASED ON USER FEEDBACK	SIGMA1
VERSION 99-2 (JUNE 1999)	*EXTENDED RANGE OF INTEGRALS FROM 4 TO 5 UNITS ON EACH SIDE OF ENERGY POINT TO ALLOW FOR LARGER VARIATION IN THE LOCAL CROSS SECTION	SIGMA1
	*ASSUME ENDF/B-6, NOT 5, IF MISSING MF=1, MT-451.	SIGMA1
VERSION 99-3 (OCTOBER 1999)	*IMPROVED ERFC FUNCTION DEFINITION. I THANK BOB MACFARLANE (LANL) FOR SUPPLYING A MORE ACCURATE ERFC FUNCTION.	SIGMA1
VERS. 2000-1 (FEBRUARY 2000)	*CORRECTED LOW ENERGY INTERPOLATION FOR NON-POSITIVE CROSS SECTIONS	SIGMA1
	*GENERAL IMPROVEMENTS BASED ON USER FEEDBACK	SIGMA1
VERS. 2002-1 (MAY 2002)	*OPTIONAL INPUT PARAMETERS	SIGMA1
VERS. 2004-1 (JAN. 2004)	*OPTIONALLY IGNORE UNRESOLVED REGION	SIGMA1
	*CORRECTED PROBLEM AT THE RESOLVED/ UNRESOLVED ENERGY BOUNDARY.	SIGMA1
	*CORRECTED HIGH ENERGY CONSTANT CROSS SECTION EXTENSION.	SIGMA1
	*TIGHTER CRITERIA FOR INITIAL ENERGY POINT SPACING	SIGMA1
	*TEMPERATURE DEPENDENT ENERGY POINT SPACING.	SIGMA1
	*ADDED NEW REICH-MOORE (LRF=7) TO FILE2 TO ALLOW COPY TO FIND ANY	SIGMA1

	FOLLOWING UNRESOLVED PARAMETERS	SIGMA1
VERS. 2005-1 (JUNE 2005)	*CORRECTED ERROR IN EHOT3 EQUIVALENCE TO EHOT - THIS ONLY EFFECTS VERY BIG OUTPUT FILES.	SIGMA1
VERS. 2007-1 (JAN. 2007)	*CHECKED AGAINST ALL ENDF/B-6.	SIGMA1
	*INCREASED PAGE SIZE FROM 60,000 TO 360,000 ENERGY POINTS.	SIGMA1
VERS. 2008-1 (APRIL 2008)	*1/2 INITIAL ENERGY POINT SPACING	SIGMA1
	*72 CHARACTER FILE NAMES.	SIGMA1
VERS. 2010-1 (Apr. 2010)	*ASSUME LOW ENERGY LOG-LOG VARIATION UP TO 1/A (eV) FOR ALL BUT TOTAL AND ELASTIC.	SIGMA1
	*CHANGED DEFAULT UNCERTAINTY TO 0.01% FROM 0.1%	SIGMA1
	*ALLOW MULTIPLE, ADJACENT UNRESOLVED RESONANCE REGIONS = COMBINE INTO ONE LARGER ENERGY RANGE TO COPY.	SIGMA1
	*DO NOT BROADEN SECTIONS THAT START ABOVE 1 MILLION KT - PREVIOUSLY IT WAS ASSUMED TOTAL, ELASTIC, CAPTURE AND FISSION, AND LARGE SECTIONS (OVER 10,000 ENERGY POINTS) WOULD BROADEN.	SIGMA1
VERS. 2012-1 (Aug. 2012)	*CHANGE COPY CRITERIA TO HANDLE NEW (N,N') DATA = THRESHOLD MAY BE VERY HIGH (OLD CRITERIA) BUT INCLUDES MANY TABULATED ENERGY POINTS (NEW ADDED CRITERIA).	SIGMA1
	*ADDED STOP IF INCIDENT PARTICLE DATA CANNOT BE DOPPLER BROADENED, E.G., PHOTON INCIDENT.	SIGMA1
	*Added CODENAME	SIGMA1
	*32 and 64 bit Compatible	SIGMA1
	*Added ERROR stop	SIGMA1
VERS. 2013-1 (Nov. 2013)	*Added NO broadening above 10 MeV - this is to handle newer evaluations that extend to higher energies and may do "strange" things to stop one MT and then include it as part of a sum at higher energies, e.g. this change will copy ALL points above 10 MeV, thus avoiding problems near transition energies at 20. 30, etc. MeV or higher energies.	SIGMA1
VERS. 2015-1 (Jan. 2015)	*Replaced ALL 3 way IF Statements.	SIGMA1
	*Replaced ALL LOGICAL by INTEGER.	SIGMA1
	*Extended OUT9.	SIGMA1
VERS. 2017-1 (May 2017)	*For MF=2 only use MT=151 = Defines Unresolved Resonance Region (URR). Ignore - NJOY created MT=152 and 153.	SIGMA1
	*Increased page size to 1,2000,000.	SIGMA1
	*All floating input parameters changed to character input + IN9 conversion.	SIGMA1
	*Added NRO = energy dependent scatter radius to copying FILE2 parameters to define unresolved energy range.	SIGMA1
	*Corrected energy dependent scattering radius for all resonance types (see, the above comments).	SIGMA1
VERS. 2018-1 (Nov. 2018)	*Added on-line report for ALL ENDERRORS	SIGMA1
VERS. 2019-1 (June 2019)	*Terminate if MF=3 Point Count and Interpolation Law do not agree.	SIGMA1
	*Terminate if MF=3 Background Interpolation is NOT Linear.	SIGMA1
	*Terminate if MF/MT=1/451 Input temperature exceeds requested Temperature - otherwise the output by this code to MF=3 would appear to be at the WRONG temperature.	SIGMA1
	*Additional Interpolation Law Tests	SIGMA1
	*Check consistency of Maximum Tabulated cross sections for ALL MT	SIGMA1

	processed - print WQARNING if NOT	SIGMA1
	the same for ALL MTs.	SIGMA1
VERS. 2020-1 (Dec. 2020)	*Complete Re-write of convergence	SIGMA1
	*Replaced INCORE9 by INCORE10.	SIGMA1
	*Updated minimum/maximum convergence	SIGMA1
	procedure.	SIGMA1
	*Added Target Isomer State	SIGMA1
	*Check Atomic Weight > 0	SIGMA1
VERS. 2021-1 (Mar. 2021)	*Updated for FORTRAN 2018	SIGMA1
	*Minimum Cross Section is no longer	SIGMA1
	an input option - set to 1.0d-30.	SIGMA1
OWNED, MAINTAINED AND DISTRIBUTED BY		SIGMA1
-----		SIGMA1
THE NUCLEAR DATA SECTION		SIGMA1
INTERNATIONAL ATOMIC ENERGY AGENCY		SIGMA1
P.O. BOX 100		SIGMA1
A-1400, VIENNA, AUSTRIA		SIGMA1
EUROPE		SIGMA1
ORIGINALLY WRITTEN BY		SIGMA1
-----		SIGMA1
Dermott E. Cullen		SIGMA1
PRESENT CONTACT INFORMATION		SIGMA1
-----		SIGMA1
Dermott E. Cullen		SIGMA1
1466 Hudson Way		SIGMA1
Livermore, CA 94550		SIGMA1
U.S.A.		SIGMA1
Telephone 925-443-1911		SIGMA1
E. Mail RedCullen1@Comcast.net		SIGMA1
Website RedCullen1.nedt/HOMEPAGE.NEW		SIGMA1
Acknowledgement 2004		SIGMA1
-----		SIGMA1
Currently almost all improvements to this code are based upon		SIGMA1
feedback from code users who report problems. This feedback		SIGMA1
benefits ALL users of this code, and ALL users are encouraged		SIGMA1
to report problems.		SIGMA1
Improvements on the 2004 version of this code based on user		SIGMA1
feedback including,		SIGMA1
1) Bret Beck - reported a problem at the resolved/unresolved		SIGMA1
energy boundary.		SIGMA1
2) S. Ganesan - reported a problem for small temperature changes.		SIGMA1
AUTHORS MESSAGE		SIGMA1
-----		SIGMA1
THE REPORT DESCRIBED ABOVE IS THE LATEST PUBLISHED DOCUMENTATION		SIGMA1
FOR THIS PROGRAM. HOWEVER, THE COMMENTS BELOW SHOULD BE CONSIDERED		SIGMA1
THE LATEST DOCUMENTATION INCLUDING ALL RECENT IMPROVEMENTS. PLEASE		SIGMA1
READ ALL OF THESE COMMENTS BEFORE IMPLEMENTATION, PARTICULARLY		SIGMA1
THE COMMENTS CONCERNING MACHINE DEPENDENT CODING.		SIGMA1
AT THE PRESENT TIME WE ARE ATTEMPTING TO DEVELOP A SET OF COMPUTERS		SIGMA1
INDEPENDENT PROGRAMS THAT CAN EASILY BE IMPLEMENTED ON ANY ONE		SIGMA1
OF A WIDE VARIETY OF COMPUTERS. IN ORDER TO ASSIST IN THIS PROJECT		SIGMA1
IT WOULD BE APPRECIATED IF YOU WOULD NOTIFY THE AUTHOR OF ANY		SIGMA1
COMPILER DIAGNOSTICS, OPERATING PROBLEMS OR SUGGESTIONS ON HOW TO		SIGMA1
IMPROVE THIS PROGRAM. HOPEFULLY, IN THIS WAY FUTURE VERSIONS OF		SIGMA1
THIS PROGRAM WILL BE COMPLETELY COMPATIBLE FOR USE ON YOUR		SIGMA1
COMPUTER.		SIGMA1
PURPOSE		SIGMA1
-----		SIGMA1
THIS PROGRAM IS DESIGNED TO DOPPLER BROADEN NEUTRON INDUCED		SIGMA1
CROSS SECTIONS. EACH SECTION OF CROSS SECTIONS (FILE 3) IS READ		SIGMA1
FROM THE ENDF/B FORMAT. THE DATA IS DOPPLER BROADENED, THINNED		SIGMA1
AND OUTPUT IN THE ENDF/B FORMAT.		SIGMA1

IN THE FOLLOWING DISCUSSION FOR SIMPLICITY THE ENDF/B TERMINOLOGY SIGMA1
---ENDF/B TAPE---WILL BE USED. IN FACT THE ACTUAL MEDIUM MAY BE SIGMA1
TAPE, CARDS, DISK OR ANY OTHER MEDIUM. SIGMA1

ENDF/B FORMAT SIGMA1

----- SIGMA1
THIS PROGRAM ONLY USES THE ENDF/B BCD OR CARD IMAGE FORMAT (AS SIGMA1
OPPOSED TO THE BINARY FORMAT) AND CAN HANDLE DATA IN ANY VERSION SIGMA1
OF THE ENDF/B FORMAT (I.E., ENDF/B-1, 2, 3, 4, 5, 6 FORMAT). SIGMA1

SIGMA1
IT IS ASSUMED THAT THE DATA IS CORRECTLY CODED IN THE ENDF/B SIGMA1
FORMAT AND NO ERROR CHECKING IS PERFORMED. IN PARTICULAR IT IS SIGMA1
ASSUMED THAT THE MAT, MF AND MT ON EACH CARD IS CORRECT. SEQUENCE SIGMA1
NUMBERS (COLUMNS 76-80) ARE IGNORED ON INPUT, BUT WILL BE SIGMA1
CORRECTLY OUTPUT ON ALL CARDS. THE FORMAT OF SECTION MF=1, MT=451 SIGMA1
AND ALL SECTIONS OF MF=3 MUST BE CORRECT. THE PROGRAM COPIES ALL SIGMA1
OTHER SECTION OF DATA AS HOLLERITH AND AS SUCH IS INSENSITIVE TO SIGMA1
THE CORRECTNESS OR INCORRECTNESS OF ALL OTHER SECTIONS. SIGMA1

SIGMA1
ALL CROSS SECTIONS THAT ARE USED BY THIS PROGRAM MUST BE TABULATED SIGMA1
AND LINEARLY INTERPOLABLE IN ENERGY AND CROSS SECTION (ENDF/B SIGMA1
INTERPOLATION LAW 2). FILE 3 CROSS SECTIONS MAY BE MADE LINEARLY SIGMA1
INTERPOLABLE BY USING PROGRAM LINEAR (UCRL-50400, VOL.17, PART A). SIGMA1
FILE 2 RESONANCE PARAMETERS MAY BE USED TO RECONSTRUCT ENERGY SIGMA1
DEPENDENT CROSS SECTIONS AND ADD IN FILE 3 BACKGROUND CROSS SIGMA1
SECTIONS TO DEFINE LINEARLY INTERPOLABLE CROSS SECTIONS BY USING SIGMA1
PROGRAM RECENT (UCRL-50400, VOL. 17, PART C). IF THIS PROGRAM SIGMA1
FINDS THAT THE FILE 3 CROSS SECTIONS ARE NOT LINEARLY INTERPOLABLES SIGMA1
THIS PROGRAM WILL TERMINATE EXECUTION. SIGMA1

UNRESOLVED RESONANCE REGION SIGMA1

----- SIGMA1
IN THE UNRESOLVED RESONANCE REGION IT IS NOT POSSIBLE TO EXACTLY SIGMA1
DEFINE THE ENERGY DEPENDENCE OF THE CROSS SECTIONS. THE AVERAGE SIGMA1
WIDTHS AND SPACINGS GIVEN IN ENDF/B ARE ONLY ADEQUATE TO DEFINE SIGMA1
AVERAGE VALUES OF THE CROSS SECTIONS. THEREFORE ALL CROSS SECTIONSSIGMA1
IN THE ENDF/B FORMAT FOR THE UNRESOLVED REGION ARE REALLY AVERAGE SIGMA1
VALUES WHICH CANNOT BE DOPPLER BROADENED USING THE SIGMA1 METHOD SIGMA1
(WHICH REQUIRES TABULATED, LINEARLY INTERPOLABLE, ENERGY DEPENDENTSIGMA1
CROSS SECTIONS. SIGMA1

THEREFORE, SIGMA1

(1) ALL TABULATED POINTS WITHIN THE UNRESOLVED RESONANCE REGION SIGMA1
WILL BE COPIED, WITHOUT MODIFICATION OR BROADENING. ADOPTION OF SIGMA1
THIS CONVENTION WILL ALLOW SUBSEQUENT PROGRAMS TO PROPERLY DEFINE SIGMA1
SELF-SHIELDED, DOPPLER BROADENED CROSS SECTIONS IN THE UNRESOLVED SIGMA1
RESONANCE REGION. SIGMA1

(2) CROSS SECTIONS WILL BE EXTENDED AS 1/V ABOVE THE UPPER ENERGY SIGMA1
LIMIT OF THE RESOLVED RESONANCE REGION AND BELOW THE LOWER ENERGY SIGMA1
LIMIT OF THE CONTINUUM REGION (I.E. INTO THE UNRESOLVED SIGMA1
RESONANCE REGION). THIS CONVENTION WILL GUARANTEE A SMOOTH SIGMA1
BEHAVIOR CLOSE TO THE UNRESOLVED RESONANCE REGION BOUNDARIES. SIGMA1

OUTPUT FORMAT SIGMA1

----- SIGMA1
IN THIS VERSION OF SIGMA1 ALL FILE 3 ENERGIES WILL BE OUTPUT IN SIGMA1
F (INSTEAD OF E) FORMAT IN ORDER TO ALLOW ENERGIES TO BE WRITTEN SIGMA1
WITH UP TO 9 DIGITS OF ACCURACY. IN PREVIOUS VERSIONS THIS WAS AN SIGMA1
OUTPUT OPTION. HOWEVER USE OF THIS OPTION TO COMPARE THE RESULTS SIGMA1
OF ENERGIES WRITTEN IN THE NORMAL ENDF/B CONVENTION OF 6 DIGITS SIGMA1
TO THE 9 DIGIT OUTPUT FROM THIS PROGRAM DEMONSTRATED THAT FAILURE SIGMA1
TO USE THE 9 DIGIT OUTPUT CAN LEAD TO LARGE ERRORS IN THE DATA SIGMA1
JUST DUE TO TRANSLATION OF THE ENERGIES TO THE ENDF/B FORMAT. SIGMA1

CONTENTS OF OUTPUT SIGMA1

----- SIGMA1
ENTIRE EVALUATIONS ARE OUTPUT, NOT JUST THE BROADENED FILE 3 SIGMA1
CROSS SECTIONS, E.G. ANGULAR AND ENERGY DISTRIBUTIONS ARE ALSO SIGMA1
INCLUDED. SIGMA1

DOCUMENTATION SIGMA1

THE FACT THAT THIS PROGRAM HAS OPERATED ON THE DATA IS DOCUMENTED
BY THE ADDITION OF THREE COMMENTS CARDS AT THE END OF EACH
HOLLERITH SECTION IN THE FORM
***** PROGRAM SIGMA1 (2021-1) *****
DATA DOPPLER BROADENED TO 300.0 KELVIN AND
DATA THINNED TO WITHIN AN ACCURACY OF 0.1 PER-CENT
THE ORDER OF ALL SIMILAR COMMENTS (FROM LINEAR, RECENT AND GROUPY)
REPRESENTS A COMPLETE HISTORY OF ALL OPERATIONS PERFORMED ON
THE DATA.
THESE COMMENT CARDS ARE ONLY ADDED TO EXISTING HOLLERITH SECTIONS,
I.E., THIS PROGRAM WILL NOT CREATE A HOLLERITH SECTION. THE FORMATS
OF THE HOLLERITH SECTION IN ENDF/B-5 DIFFERS FROM THE THAT OF
EARLIER VERSIONS OF ENDF/B. BY READING AN EXISTING MF=1, MT=451
IT IS POSSIBLE FOR THIS PROGRAM TO DETERMINE WHICH VERSION OF
THE ENDF/B FORMAT THE DATA IS IN. WITHOUT HAVING A SECTION OF
MF=1, MT=451 PRESENT IT IS IMPOSSIBLE FOR THIS PROGRAM TO
DETERMINE WHICH VERSION OF THE ENDF/B FORMAT THE DATA IS IN, AND
AS SUCH IT IS IMPOSSIBLE FOR THE PROGRAM TO DETERMINE WHAT FORMAT
SHOULD BE USED TO CREATE A HOLLERITH SECTION.
REACTION INDEX

THIS PROGRAM DOES NOT USE THE REACTION INDEX WHICH IS GIVEN IN
SECTION MF=1, MT=451 OF EACH EVALUATION.
THIS PROGRAM DOES NOT UPDATE THE REACTION INDEX IN MF=1, MT=451.
THIS CONVENTION HAS BEEN ADOPTED BECAUSE MOST USERS DO NOT
REQUIRE A CORRECT REACTION INDEX FOR THEIR APPLICATIONS AND IT WAS
NOT CONSIDERED WORTHWHILE TO INCLUDE THE OVERHEAD OF CONSTRUCTING
A CORRECT REACTION INDEX IN THIS PROGRAM. HOWEVER, IF YOU REQUIRE
A REACTION INDEX FOR YOUR APPLICATIONS, AFTER RUNNING THIS PROGRAM
YOU MAY USE PROGRAM DICTIN TO CREATE A CORRECT REACTION INDEX.
SECTION SIZE

SINCE THIS PROGRAM USES A LOGICAL PAGING SYSTEM THERE IS NO LIMIT
TO THE NUMBER OF POINTS IN ANY SECTION, E.G., THE TOTAL CROSS
SECTION MAY BE REPRESENTED BY 200,000 DATA POINTS.
SELECTION OF DATA

THE PROGRAM SELECTS MATERIALS TO BE BROADENED BASED EITHER ON
MAT (ENDF/B MAT NO.) OR ZA. THE PROGRAM ALLOWS UP TO 100 MAT OR
ZA RANGES TO BE SPECIFIED. THE PROGRAM WILL ASSUME THAT THE
ENDF/B TAPE IS IN EITHER MAT OR ZA ORDER, WHICHEVER CRITERIA IS
USED TO SELECT MATERIALS, AND WILL TERMINATE WHEN A MAT OR ZA
IS FOUND THAT IS ABOVE THE RANGE OF ALL REQUESTS.
ENERGY GRID OF BROADENED DATA

THE ENERGY GRID FOR THE DOPPLER BROADENED CROSS SECTIONS IS
SELECTED TO INSURE THAT THE BROADENED DATA IS LINEAR-LINEAR
INTERPOLABLE. AS SUCH THE ENERGY GRID FOR THE BROADENED DATA
MAY NOT BE THE SAME AS THE ENERGY GRID FOR THE ORIGINAL
UNBROADENED DATA. GENERALLY AFTER BROADENING THERE WILL BE
FEWER DATA POINTS IN THE RESONANCE REGION, BUT AT LOW ENERGY
THERE MAY BE MORE POINTS, DUE TO THE 1/V LOW ENERGY EFFECT
CREATED BY DOPPLER BROADENING.
EFFECTIVE TEMPERATURE INCREASE

IF THE ORIGINAL DATA IS NOT AT ZERO KELVIN THE PROGRAM WILL
BROADEN THE DATA BY THE EFFECTIVE TEMPERATURE DIFFERENCE TO THE
FINAL TEMPERATURE. IF THE DATA IS ALREADY AT A TEMPERATURE THAT
IS HIGHER THAN THE FINAL TEMPERATURE DOPPLER BROADENING IS
NATURALLY NOT PERFORMED AND THE TEMPERATURE IN THE SECTION IS LEFT
AT ITS ORIGINAL VALUE.

MULTIPLE FINAL TEMPERATURES	SIGMA1
-----	SIGMA1
THE PRESENT VERSION ONLY DOPPLER BROADENS TO ONE FINAL TEMPERATURE	SIGMA1
(IF THERE IS SUFFICIENT INTEREST EXPRESSED BY USERS FUTURE	SIGMA1
VERSION MAY BROADEN TO MULTIPLE TEMPERATURES. PLEASE	SIGMA1
CONTACT THE AUTHOR IF YOU ARE INTERESTED IN A MULTIPLE	SIGMA1
TEMPERATURE OPTION).	SIGMA1
PROGRAM OPERATION	SIGMA1
-----	SIGMA1
EACH SECTION OF FILE 3 DATA IS CONSIDERED SEPERATELY. THE DATA	SIGMA1
IS READ AND DOPPLER BROADENED A PAGE AT A TIME (ONE PAGE IS	SIGMA1
60000 DATA POINTS). UP TO THREE PAGES OF DATA MAY BE IN THE CORE	SIGMA1
AT ANY GIVEN TIME, THE PAGE BEING BROADENED, THE PAGE BELOW IT	SIGMA1
IN ENERGY AND THE PAGE ABOVE IT IN ENERGY. AFTER A PAGE HAS BEEN	SIGMA1
BROADENED IT IS THINNED, IF THE ENTIRE SECTION CONTAINS ONLY	SIGMA1
ONE PAGE OR LESS, IT WILL STILL BE CORE RESIDENT AND WILL BE	SIGMA1
WRITTEN DIRECTLY FROM CORE TO THE OUTPUT TAPE. IF THE BROADENED,	SIGMA1
THINNED SECTION IS LARGER THAN A PAGE, AFTER A PAGE HAS BEEN	SIGMA1
BROADENED AND THINNED IT IS WRITTEN TO A SCRATCH FILE. AFTER THE	SIGMA1
ENTIRE SECTION HAS BEEN BROADENED AND THINNED THE DATA IS READ	SIGMA1
FROM SCRATCH TO CORE, ONE PAGE AT A TIME, THE OUTPUT TO THE OUTPUT	SIGMA1
TAPE.	SIGMA1
ALLOWABLE ERROR	SIGMA1
-----	SIGMA1
AFTER DOPPLER BROADENING THE CROSS SECTION IN THE RESONANCE REGIONS	SIGMA1
WILL GENERALLY BE MUCH SMOOTHER THAN THE UNBROADENED DATA AND CAN	SIGMA1
BE REPRESENTED TO THE SAME ACCURACY BY A SMALLER NUMBER OF ENERGY	SIGMA1
POINTS. THEREFORE AFTER DOPPLER BROADENING THE DATA CAN BE THINNED	SIGMA1
WITH ESSENTIALLY NO LOSE OF INFORMATION.	SIGMA1
THE ALLOWABLE ERROR MAY BE ENERGY INDEPENDENT (CONSTANT) OR ENERGY	SIGMA1
DEPENDENT. THE ALLOWABLE ERROR IS DESCRIBED BY A TABULATED	SIGMA1
FUNCTION OF UP TO 20 (ENERGY,ERROR) PAIRS AND LINEAR INTERPOLATIONS	SIGMA1
BETWEEN TABULATED POINTS. IF ONLY ONE TABULATED POINT IS GIVEN THE	SIGMA1
ERROR WILL BE CONSIDERED CONSTANT OVER THE ENTIRE ENERGY RANGE.	SIGMA1
WITH THIS ENERGY DEPENDENT ERROR ONE MAY OPTIMIZE THE OUTPUT FOR	SIGMA1
ANY GIVEN APPLICATION BY USING A SMALL ERROR IN THE ENERGY RANGE	SIGMA1
OF INTEREST AND A LESS STRINGENT ERROR IN OTHER ENERGY RANGES.	SIGMA1
INPUT FILES	SIGMA1
-----	SIGMA1
UNIT DESCRIPTION	SIGMA1
----	SIGMA1
2 INPUT CARDS (BCD - 80 CHARACTERS/RECORD)	SIGMA1
10 ORIGINAL ENDF/B DATA (BCD - 80 CHARACTERS/RECORD)	SIGMA1
OUTPUT FILES	SIGMA1
-----	SIGMA1
UNIT DESCRIPTION	SIGMA1
----	SIGMA1
3 OUTPUT REPORT (BCD - 120 CHARACTERS/RECORD)	SIGMA1
11 FINAL ENDF/B DATA (BCD - 80 CHARACTERS/RECORD)	SIGMA1
SCRATCH FILES	SIGMA1
-----	SIGMA1
UNIT DESCRIPTION	SIGMA1
----	SIGMA1
12 SCRATCH FILE FOR BROADENED DATA	SIGMA1
(BINARY - 180000 WORDS/RECORD - DOUBLE PRECISION/	SIGMA1
42000 WORDS/RECORD - SINLGE PRECISION)	SIGMA1
OPTIONAL STANDARD FILE NAMES (SEE SUBROUTINE FILEIO)	SIGMA1
-----	SIGMA1
UNIT FILE NAME	SIGMA1
----	SIGMA1
2 SIGMA1.INP	SIGMA1
3 SIGMA1.LST	SIGMA1
10 ENDFB.IN	SIGMA1

```

11  ENDFB.OUT                                SIGMA1
12  (SCRATCH)                                SIGMA1
INPUT CARDS                                  SIGMA1
-----                                     SIGMA1
CARD  COLS.  DESCRIPTION                      SIGMA1
-----                                     SIGMA1
1    1-11    SELECTION CRITERIA (0=MAT, 1=ZA) SIGMA1
      12-22    MONITOR MODE SELECTOR          SIGMA1
              = 0 - NORMAL OPERATION          SIGMA1
              = 1 - MONITOR PROGRESS OF DOPPLER BROADENING OF DATA. SIGMA1
                  EACH TIME A PAGE OF DATA POINTS IS WRITTEN TO SIGMA1
                  THE SCRATCH FILE PRINT OUT THE TOTAL NUMBER OF SIGMA1
                  POINTS ON SCRATCH AND THE LOWER AND UPPER SIGMA1
                  ENERGY LIMITS OF THE PAGE (THIS OPTION MAY BE SIGMA1
                  USED IN ORDER TO MONITOR THE EXECUTION SPEED SIGMA1
                  OF LONG RUNNING JOBS).      SIGMA1
      23-33    KELVIN TEMPERATURE            SIGMA1
      34-44    MINIMUM CROSS SECTION OF INTEREST SIGMA1
                  (DEFAULT VALUE = 1.0E-10 BARNS). SIGMA1
      45-55    NEGATIVE CROSS SECTION TREATMENT SIGMA1
                  = 0 - O.K.                  SIGMA1
                  = 1 - SET = 0              SIGMA1
      56-66    UNRESOLVED RESONANCE REGION TREATMENT SIGMA1
                  = 0 - COPY (NO BROADENING) SIGMA1
                  = 1 - IGNORE (BROADEN)     SIGMA1
2    1-72    ENDF/B INPUT DATA FILENAME     SIGMA1
                  (STANDARD OPTION = ENDFB.IN) SIGMA1
3    1-72    ENDF/B OUTPUT DATA FILENAME    SIGMA1
                  (STANDARD OPTION = ENDFB.OUT) SIGMA1
4-N  1-11    LOWER MAT OR ZA LIMIT           SIGMA1
      12-22    UPPER MAT OR ZA LIMIT         SIGMA1
                  UP TO 100 MAT OR ZA RANGES MAY BE SPECIFIED, ONE SIGMA1
                  RANGE PER CARD. THE LIST OF RANGES IS TERMINATED BY SIGMA1
                  A BLANK CARD. IF THE UPPER LIMIT IS LESS THAN THE SIGMA1
                  LOWER LIMIT THE UPPER LIMIT WILL BE SET EQUAL TO THE SIGMA1
                  LOWER LIMIT. IF THE FIRST REQUEST CARD IS BLANK IT SIGMA1
                  WILL TERMINATE THE LIST OF REQUESTS AND CAUSE ALL SIGMA1
                  DATA TO BE RETRIEVED (SEE EXAMPLE INPUT).      SIGMA1
VARY 1-11    ENERGY FOR ERROR LAW          SIGMA1
      12-22    ERROR FOR ERROR LAW          SIGMA1
                  THE ACCEPTABLE LINEARIZING ERROR CAN BE GIVEN AS AN SIGMA1
                  ENERGY DEPENDENT FUNCTION SPECIFIED BY UP TO 20 SIGMA1
                  (ENERGY,ERROR) PAIRS AND LINEAR INTERPOLATION SIGMA1
                  TABULATE POINTS. ENERGIES MUST BE IN ASCENDING ORDER. SIGMA1
                  THE ERROR LAW IS TERMINATED BY A BLANK CARD. IF THE SIGMA1
                  FIRST ERROR LAW CARD IS BLANK IT WILL TERMINATE THE SIGMA1
                  ERROR LAW AND THE ERROR WILL BE TREATED AS ENERGY SIGMA1
                  INDEPENDENT, EQUAL TO ZERO, WHICH INDICATES THAT THE SIGMA1
                  BROADENED DATA SHOULD NOT BE THINNED.          SIGMA1
EXAMPLE INPUT NO. 1                          SIGMA1
-----                                     SIGMA1
BROADEN ALL URANIUM ISOTOPES AND THORIUM-232 TO 300 KELVIN. FROM SIGMA1
0 TO 100 EV THIN OUTPUT DATA TO 0.1 PER-CENT ACCURACY. FROM 100 EVSIGMA1
TO 1 KEV VARY THE ERROR BETWEEN 0.1 AND 1 PER-CENT. ABOVE 1 KEV SIGMA1
USE 1 PER-CENT ACCURACY.                    SIGMA1
EXPLICITLY SPECIFY THE STANDARD FILENAMES.   SIGMA1
THE FOLLOWING 11 CARDS ARE REQUIRED           SIGMA1
1      0 3.00000+ 2                          SIGMA1
ENDFB.IN                                     SIGMA1
ENDFB.OUT                                    SIGMA1
92000      92999                              SIGMA1
90232      (UPPER LIMIT WILL AUTOMATICALLY BE DEFINED) SIGMA1
              (BLANK CARD INDICATES END OF REQUEST LIST) SIGMA1
0.00000+ 0 1.00000-03                        SIGMA1
1.00000+ 2 1.00000-03                        SIGMA1
1.00000+ 3 1.00000-02                        SIGMA1

```


