				LEGE
PROGRAM				LEGE
				LEGE
		(SEPTEMBER 1980		LEGE
		(NOVEMBER 1984)		LEGE
VERSION	86-1	(JANUARY 1986)	*CORRECTED BASED ON USER COMMENTS	LEGE
			*FORTRAN-77/H VERSION	LEGE
VERSION	87-1	(JANUARY 1987)	*CORRECTED BASED ON USER COMMENTS	LEGE
VERSION	88-1	(JULY 1988)	*OPTIONINTERNALLY DEFINE ALL I/O	LEGE
			FILE NAMES (SEE, SUBROUTINE FILEIO	LEGE
			FOR DETAILS).	LEGE
			*IMPROVED BASED ON USER COMMENTS.	LEGE
VEDGTON	90_1	(TANITADY 1000)	*PSYCHOANALYZED BY PROGRAM FREUD TO	LEGE
VERSION	09-1	(DANOAKI 1909)	INSURE PROGRAM WILL NOT DO ANYTHING	
			CRAZY.	LEGE
			*UPDATED TO USE NEW PROGRAM CONVERT	LEGE
			KEYWORDS.	LEGE
			*ADDED LIVERMORE CIVIC COMPILER	LEGE
			CONVENTIONS.	LEGE
VERSION	92-1	(JANUARY 1992)	*FOR ANGULAR DISTRIBUTIONS CALCULATED	LEGE
			FROM LEGENDRE COEFFICIENTS, INTERVAL	LEGE
			HALF TO CONVERGENCE.	LEGE
			*UPDATED BASED ON USER COMMENTS	LEGE
			*ADDED FORTRAN SAVE OPTION	LEGE
				LEGE
			BY MAT/MF/MT/ENERGY RANGES.	LEGE
			*WARNINGTHE INPUT PARAMETER FORMAT	
			HAS BEEN CHANGED - FOR DETAILS SEE	LEGE
TOTON	00.0	(0000 1000)	BELOW.	LEGE
VERSION	92-2	(SEPT. 1992)	*CORRECTED PROCESSING OF ISOTROPIC	LEGE
			ANGULAR DISTRIBUTIONS	LEGE
VERSION	94-1	(JANUARY 1994)	*VARIABLE ENDF/B DATA FILENAMES	LEGE
			TO ALLOW ACCESS TO FILE STRUCTURES	LEGE
			(WARNING - INPUT PARAMETER FORMAT	LEGE
			HAS BEEN CHANGED)	LEGE
			*CLOSE ALL FILES BEFORE TERMINATING	LEGE
			(SEE, SUBROUTINE ENDIT)	LEGE
VERSION	96-1	(JANUARY 1996)	*COMPLETE RE-WRITE	LEGE
			*IMPROVED COMPUTER INDEPENDENCE	LEGE
			*ALL DOUBLE PRECISION	LEGE
			*ON SCREEN OUTPUT	LEGE
			*UNIFORM TREATMENT OF ENDF/B I/O	LEGE
			*IMPROVED OUTPUT PRECISION	LEGE
			*INCREASED MAX. POINTS FROM 5,000	LEGE
mpores	00 -	(MADOR 1000)	TO 20,000.	LEGE
VERSION	99-T	(MARCH 1999)	*CORRECTED CHARACTER TO FLOATING	LEGE
			POINT READ FOR MORE DIGITS	LEGE
			*UPDATED TEST FOR ENDF/B FORMAT	LEGE
			VERSION BASED ON RECENT FORMAT CHANGE	ELEGE
			*GENERAL IMPROVEMENTS BASED ON	LEGE
			USER FEEDBACK	LEGE
VERS. 20	000-1	(FEBRUARY 2000)	*GENERAL IMPROVEMENTS BASED ON	LEGE
			USER FEEDBACK	LEGE
VERS 20	)01-1	(MARCH 2001)	*UPDATED TO HANDLE COMBINATIONS OF	LEGE
			LEGENDRE COEFFICIENTS AT LOW ENERGY	
			AND TABULATED DATA AT HIGH ENERGY.	LEGE
	102-1	(MAX 2002)	*OPTIONAL INPUT PARAMETERS	
		(MAY 2002)		LEGE
vers. 20	104-1	(MARCH 2004)		LEGE
			*ZERO ANGULAR DISTRIBUTIONS ARE O.K.	
			• • • • • • •	LEGE
			TREATED AS AN ERROR - ZERO IS O.K.	LEGE
			FOR SOME REACTIONS OVER SOME COSINE	LEGE
				LEGE
			RANGES)	
VERS 20	)06-1	(MARCH 2006)	RANGES) *INCREASED MAXIMUM NUMBER OF LEGENDRE	
VERS. 20	)06-1	(MARCH 2006)	*INCREASED MAXIMUM NUMBER OF LEGENDRE	LEGE
VERS. 20	)06-1	(MARCH 2006)	*INCREASED MAXIMUM NUMBER OF LEGENDRE COEFFICIENTS FROM 50 TO 500.	LEGE LEGE
VERS. 20	06-1	(MARCH 2006)	<ul> <li>*INCREASED MAXIMUM NUMBER OF LEGENDRE COEFFICIENTS FROM 50 TO 500.</li> <li>WARNING - THE RECURSION RELATIONSHIP</li> </ul>	LEGE LEGE LEGE
VERS. 20	06-1	(MARCH 2006)	*INCREASED MAXIMUM NUMBER OF LEGENDRE COEFFICIENTS FROM 50 TO 500. WARNING - THE RECURSION RELATIONSHIP FOR LEGENDRE POLYNOMIALS BECOMES	LEGE LEGE LEGE LEGE
VERS. 20	)06-1	(MARCH 2006)	<ul> <li>*INCREASED MAXIMUM NUMBER OF LEGENDRE COEFFICIENTS FROM 50 TO 500.</li> <li>WARNING - THE RECURSION RELATIONSHIP</li> </ul>	LEGE LEGE LEGE LEGE

==

				*INCREASED MAX. POINTS FROM 60,000	LEGEND
				TO 240,000.	LEGEND
VERS.	2007-2	(MAY	2007)	*CORRECTED SIZE OF XMUBASE IN ANGLEN FOR INCREASED NUMBER OF COEFFICIENTS	
VERS.	2010-1	(Apr.	2010)	*General update based on user feedback	
	2012-1	-	2012)	*added CODENAME	LEGEND
				*32 and 64 bit Compatible *Added ERROR stop	LEGEND LEGEND
VERS.	2015-1	(Jan.	2015)	*Extended OUT9	LEGEND
				*Replaced ALL 3 way IF Statements.	LEGEND
VERS.	2015-2	(Oct.	2015)	*OPEN optional LEGEND.INP after OPENING LEGEND.LST.	LEGEND LEGEND
				*Coefficient checks are turned OFF	LEGEND
				if LEGEND.INP is missing = this	LEGEND
				agrees with BEST INPUT. *Switched from LISTO to LISTO9	LEGEND LEGEND
				(no 10 digit output)	LEGEND
VERS.	2016-1	(May	2016)	*Changed multiple IF statement to	LEGEND
				accommodate compiler optimizer	LEGEND
				*Increased Maximum allowed points per angular distribution from 900 to	LEGEND
				MAXPOINT (currently 240,000)	LEGEND
VERS.	2017-1	(May	2017)	*More tests. Expanded to handle new	LEGEND
				R-M (LRF=7) detailed angular distributions.	LEGEND LEGEND
				*Max. points increased to 3,000,000.	LEGEND
				*All floating input parameters changed	
				<pre>to characte input + IN9 conversion. *If near COS=0 - set = 0</pre>	LEGEND LEGEND
				*Default changed to negative fixes.	LEGEND
				*At end print tallies for,	LEGEND
				1-Number of negative distributions. 2-Number of duplicate or out-of-order	LEGEND
				Ehnergies	LEGEND
	2018-1	-		*Added on-line output for ALL ENDERROP	RLEGEND
VERS.	2019-1	(June	2019)	*Additional Interpolation Law Tests *Checked Maximum Tabulated Energy to	LEGEND LEGEND
				insure it is the same for all MTs -	LEGEND
				if not, print WARNING messages.	LEGEND
				*Corrected END Histogram linearized -	
				Previously assumed $Y = 0$ and deleted Now output whatever the Y value.	LEGEND
	2020-1	-	-	*Identical to 2019-1.	LEGEND
VERS.	2021-1	(Jan.	2021)	*Updated for FORTRAN 2018	LEGEND
OWNED	, MAINTA	INED A	ND DISTRI	IBUTED BY	LEGEND LEGEND
					LEGEND
	UCLEAR I			ACENCY	LEGEND
	BOX 100	ATOMI	C ENERGY	AGENCI	LEGEND
	0, VIENN	IA, AUS	TRIA		LEGEND
EUROP	Ξ				LEGEND
ORTGT	NALLY WF	TTTEN	BY		LEGEND LEGEND
					LEGEND
Dermo	tt E. Cu	ıllen			LEGEND
PRESE	NT CONTA	CT INF	ORMATION		LEGEND LEGEND
					LEGEND
	tt E. Cu	-			LEGEND
	Hudson W more, CA	-			LEGEND LEGEND
U.S.A					LEGEND
-	hone 92				LEGEND
E. Ma: Websi	il Re	dCulle:	n1@Comcas	St.net DMEPAGE.NEW	LEGEND LEGEND
nebst	ce Re	acurre.		MILLAGE . NEW	LEGEND
PURPO					LEGEND
CALCIT		TRADTY		ABLE TABULATED ANGULAR DISTRIBUTIONS	LEGEND LEGEND
				NDF/B FORMAT. ANGULAR DISTRIBUTIONS	LEGEND

MAY BE DESCRIBED IN THE ENDF/B FORMAT IN ONE OF THREE WAYS. LEGEND FOR EACH OF THESE THREE FORMS THE USER MAY CHOOSE (SEE, INPUT LEGEND OPTIONS) TO EITHER COPY EACH TYPE OF DATA OR TO PROCESS IT AT LEGEND AS FOLLOWS, LEGEND LEGEND (1) ANGULAR DISTRIBUTION IS ISOTROPIC AT ALL ENERGIES (LTT=0) LEGEND LEGEND ------IN THIS CASE THE INPUT DATA DOES NOT INCLUDE ANY ANGULAR LEGEND DISTRIBUTIONS. A SECTION MERELY CONTAINS A FLAG TO INDICATE LEGEND THE ANGULAR DISTRIBUTION IS ISOTROPIC AT ALL ENERGIES. IN THIS LEGEND CASE THE SECTION IS OUTPUT IN EXACTLY THE SAME FORM IN WHICH IT LEGEND WAS READ FROM THE INPUT. LEGEND LEGEND (2) ANGULAR DISTRIBUTIONS GIVEN BY LEGENDRE COEFFICIENTS (LTT=1) LEGEND LEGEND LEGENDRE COEFFICIENTS ARE GIVEN AT A SERIES OF ENERGIES. AN LEGEND INTERPOLATION LAW IS GIVEN BETWEEN ENERGIES. THE INTERPOLATION LEGEND LAW BETWEEN ENERGIES IS COPIED AS INPUT (I.E., NO ATTEMPT IS LEGEND LEGEND MADE TO LINEARIZE THE VARIATION WITH ENERGY). FOR EACH ENERGY AT WHICH LEGENDRE COEFFICIENTS ARE GIVEN A LINEARLY INTERPOLABLE LEGEND ANGULAR DISITRIBUTION IS RECONSTRUCTED IN THE SYSTEM IN WHICH THE LEGEND THE COEFFICIENTS ARE GIVEN (I.E., CM OR LAB - NO ATTEMPT IS MADE LEGEND TO CONVERT FROM ONE SYSTEM TO THE OTHER). A MAXIMUM OF 50 LEGENDRELEGEND COEFFICIENTS IS ALLOWED. REGARDLESS OF THE NUMBER OF COEFFICIENTS LEGEND INPUT THE PROGRAM WILL ONLY USE COEFFICIENTS UP TO THE LAST ORDER LEGEND AT WHICH THE COEFFICIENTS ARE NON-ZERO (E.G. IF COEFFICIENTS P1 LEGEND THROUGH P12 ARE READ, BUT P9=P10=P11=P12=0.0, THE PROGRAM WILL LEGEND ONLY USE COEFFICIENTS UP TO P8). IF OVER 50 NON-ZERO COEFFICIENTS LEGEND ARE READ ONLY THE FIRST 50 WILL BE USED. LEGEND LEGEND (2) ANGULAR DISTRIBUTIONS IS TABULATED (LTT=2) LEGEND LEGEND ANGULAR DISTRIBUTIONS ARE GIVEN AT A SERIES OF ENERGIES. AN LEGEND INTERPOLATION LAW IS GIVEN BETWEEN ENERGIES AND A SECOND LEGEND INTERPOLATION LAW IS GIVEN AT EACH ENERGY TO INTERPOLATE BETWEEN LEGEND THE POINTS IN EACH TABULATED DISTRIBUTION. AT EACH ENERGY THE LEGEND ANGULAR DISTRIBUTION WILL BE CONVERTED TO LINEARLY INTERPOLABLE LEGEND FORM. THE INTERPOLATION BETWEEN ENERGIES IS OUTPUT EXACTLY AS LEGEND INPUT. THE INTERPOLATION LAW AT EACH ENERGY IS OUTPUT TO INDICATE LEGEND THE NOW LINEARLY INTERPOLABLE ANGULAR DISTRIBUTION. LEGEND LEGEND (3) LEGENDRE COEFFICIENTS AND TABULATED (LTT=3) LEGEND LEGEND ENDF-102 SAYS THIS SHOULD BE LTT=4, BUT ALL OF THE EVALUATIONS LEGEND IN ENDF/B-VI, RELEASE 7, USE LTT=3? THIS CODE WILL TREAT THESE LEGEND AS LTT=4 - SEE BELOW. LEGEND LEGEND (4) LEGENDRE COEFFICIENTS AND TABULATED (LTT=4) LEGEND \_\_\_\_\_ LEGEND THIS IS A COMBINATION OF (1) AND (2) DESCRIBED ABOVE. THE LEGEND LEGENDRE DATA IS ALWAYS GIVEN FIRST, FOR LOWER ENERGIES, LEGEND FOLLOWED BY TABULATED ANGULAR DISTRIBUTIONS, FOR HIGHER ENERGIES. LEGEND LEGEND THIS TYPE OF DATA CAN ONLY BE COPIED OR ALL CONVERTED TO LEGEND TABULATED (LTT=2). LEGEND LEGEND POINT VALUES - NORMALIZED VS. UNNORMALIZED LEGEND -----T.EGEND THE VALUE OF AN ANGULAR DISTRIBUTION AT ANY COSINE WILL BE LEGEND CORRECTLY CALCULATED BY THIS CODE, BASED EITHER DIRECTLY ON THE LEGEND ANGULAR DISTRIBUTION, OR ON THE SUM OF THE CONTRIBUTING LEGENDRE LEGEND MOMENTS. LEGEND LEGEND ENDF/B ANGULAR DISTRIBUTIONS ARE BY DEFINITION NORMALIZED WHEN LEGEND INTEGRATED OVER COSINE. THEREFORE THIS CODE WILL NORMALIZE EACH LEGEND ANGULAR DISTRIBUTION BEFORE IT IS OUTPUT. THE OUTPUT REPORT FROM LEGEND THIS CODE WILL INDICATE THE NORMALIZATION FACTOR USED. LEGEND LEGEND THE REASON THAT AN ANGULAR DISTRIBUTION MAY NOT BE NORMALIZED IS LEGEND DUE TO THE APPROXIMATION OF CREATING LINEARLY INTERPOLABLE LEGEND TABULATED ANGULAR DISTRIBUTIONS - THE MORE ACCURATELY THIS IS LEGEND DONE THE CLOSER THE NORMALIZATION FACTOR WILL BE TO UNITY. AS YOU LEGEND DECREASE THE ALLOWABLE ERROR THE NORMALIZED VALUES WILL APPROACH LEGEND THE CORRECT POINT VALUES CALCULATED BY THE CODE. LEGEND LEGEND SINCE THE DATA IS NORMALIZED PRIOR TO OUTPUT THE RESULTS IN THE LEGEND ENDF/B FORMAT MAY DIFFER SLIGHTLY FROM VALUES REFERRED TO BE ERRORLEGEND MESSAGES, ETC. PRINTED BY THE CODE DURING EXECUTION. IN ALL CASES LEGEND THE VALUES PRINTED BY THE CODE IN ERROR MESSAGES, ETC. SHOULD BE LEGEND CONSIDERED TO BE THE CORRECT VALUES AND THE OUTPUT TABULATED LEGEND ANGULAR DISTRIBUTIONS APPROXIMATE DUE TO THE RE-NORMALIZATION -LEGEND TO RE-ITERATE, THE OUTPUT TABULATED VALUES ARE APPROXIMATE DUE LEGEND TO THE APPROXIMATIONS USED IN CONSTRUCTING LINEAR INTERPOLABLE LEGEND LEGEND ANGULAR DISTRIBUTIONS TO WITHIN SOME ALLOWABLE TOLERANCE. LEGEND ELIMINATION OF NEGATIVE VALUES LEGEND LEGEND THE RECONSTRUCTED ANGULAR DISTRIBUTION WILL BE TESTED AND IF IT LEGEND IS NEGATIVE AT ONE OR MORE COSINES AN ERROR MESSAGE WILL BE OUTPUTLEGEND AND BASED ON THE INPUT OPTION SELECTED ONE OF THE FOLLOWING LEGEND CORRECTIVE ACTIONS WILL BE TAKEN (SEE, INPUT OPTIONS), LEGEND (1) NO CORRECTION LEGEND (2) CHANGE INDIVIDUAL LEGENDRE COEFFICIENTS (EACH BY LESS THAN LEGEND 1.0 PER-CENT) UNTIL THE RECONSTRUCTED ANGULAR DISTRIBUTION LEGEND IS POSITIVE (MINIMUM MORE THAN 1 MILLI-BARN). THE ALLOWABLE LEGEND PER-CENT CHANGE IN COEFFICIENTS AND MINIMUM CROSS SECTION CAN LEGEND BE CHANGED BY INPUT. LEGEND (3) CHANGE ALL LEGENDRE COEFFICIENTS TO FORCE DISTRIBUTION TO BE LEGEND POSITIVE (MINIMUM MORE THAN 1 MILLI-BARN). WITH THIS OPTION LEGEND THERE IS NO RESTRICTION ON THE AMOUNT THAT EACH COEFFICIENT LEGEND IS CHANGED AND AS SUCH THIS OPTION SHOULD BE USED WITH LEGEND CAUTION AND ONLY AS A LAST RESORT IF NO OTHER APPROACH CAN LEGEND BE USED TO MAKE THE DISTRIBUTION POSITIVE. LEGEND LEGEND OUTPUT LEGEND LEGEND THE USER MAY REQUEST OUTPUT OF EITHER, LEGEND (1) TABULATED VALUES - POSSIBLY CORRECTED TO ELIMINATE NEGATIVE LEGEND VALUES. THE TABULATED DISTRIBUTION WILL BE NORMALIZED BEFORE LEGEND OUTPUT. LEGEND (2) LEGENDRE COEFFICIENTS - POSSIBLY CORRECTED TO ELIMINATE LEGEND NEGATIVE VALUES AND WITHOUT HIGHER ORDER ZERO COEFFICIENTS. LEGEND BY DEFINITION DISTRIBUTIONS DEFINED BY LEGENDRE COEFFICIENTS LEGEND ARE NORMALIZED TO UNITY. LEGEND LEGEND (3) ANGULAR DISTRIBUTIONS GIVEN BY A TABULATION (LTT=2) LEGEND LEGEND \_\_\_\_\_ TABULATED ANGULAR DISTRIBUTIONS ARE GIVEN AT A SERIES OF ENERGIES.LEGEND AN INTERPOLATION LAW IS GIVEN BETWEEN ENERGIES. THE INTERPOLATION LEGEND LAW BETWEEN ENERGIES IS COPIED AS INPUT (I.E., NO ATTEMPT IS LEGEND MADE TO LINEARIZE THE VARIATION WITH ENERGY). FOR EACH ENERGY AT LEGEND AT WHICH TABULATED DATA ARE GIVEN A LINEARLY INTERPOLABLE ANGULAR LEGEND DISTRIBUTION IS CONSTRUCTED IN THE SYSTEM IN WHICH THE TABULATED LEGEND DATA ARE GIVEN (I.E., CM OR LAB - NO ATTEMPT IS MADE TO CONVERT LEGEND FROM ONE SYSTEM TO THE OTHER). A MAXIMUM OF 60000 POINTS IS ALLOWELEGEND TO REPRESENT THE ANGULAR DISTRIBUTION AT EACH ENERGY. LEGEND LEGEND ELIMINATION OF NEGATIVE VALUES LEGEND LEGEND THE RECONSTRUCTED ANGULAR DISTRIBUTION WILL BE TESTED AND IF IT LEGEND IS NEGATIVE AT ONE OR MORE COSINES AN ERROR MESSAGE WILL BE OUTPUTLEGEND AND BASED ON THE INPUT OPTION SELECTED ONE OF THE FOLLOWING LEGEND CORRECTIVE ACTIONS WILL BE TAKEN (SEE, INPUT OPTIONS), LEGEND (1) NO CORRECTION LEGEND (2) CHANGE ALL TABULATED VALUES TO FORCE DISTRIBUTION TO BE LEGEND POSITIVE (MINIMUM MORE THAN 1 MILLI-BARN). THE MINIMUM VALUE LEGEND MAY BE CHANGED BY INPUT. WITH THIS OPTION THERE IS NO LEGEND RESTRICTION ON THE AMOUNT THAT EACH VALUE IS CHANGED AND AS LEGEND SUCH THIS OPTION SHOULD BE USED WITH CAUTION AND ONLY AS A LEGEND LAST RESORT IF NO OTHER APPROACH CAN BE USED TO MAKE THE LEGEND DISTRIBUTION POSITIVE. LEGEND LEGEND

OUTPUT	LEGEND
THE OUTPUT WILL BE THE LINEARIZED ANGULAR DISTRIBUTION. THE TABULATED DISTRIBUTION WILL BE NORMALIZED TO UNITY BEFORE OUTPUT.	LEGEND LEGEND LEGEND
	LEGEND
CORRECTING NEGATIVE ANGULAR DISTRIBUTION	LEGEND LEGEND
IF AN ANGULAR DISTRIBUTION IS NEGATIVE AN ERROR MESSAGE WILL BE PRINTED AND THE USER MAY DECIDE (BASED ON INPUT OPTION) TO,	LEGEND LEGEND
(1) NOT PERFORM ANY CORRECTIVE ACTION.	LEGEND
(2) FOR TABULATED DISTRIBUTIONS - ADD THE SAME VALUE TO EACH POINT VALUE SUCH THAT WHEN THE DISTRIBUTION IS RE-NORMALIZED THE	LEGEND
MINIMUM VALUE IS 0.001 (1 MILLI-BARN). THE MINIMUM VALUE CAN	LEGEND LEGEND
BE CHANGED BY INPUT. WARNINGEXCEPT FOR SELECTION OF THE MINIMUM VALUE (BY INPUT) THE USER HAS NO CONTROL OVER HOW	LEGEND
MUCH THE DISTRIBUTION IS CHANGED. THEREFORE THIS OPTION SHOULD BE USED WITH CAUTION.	DLEGEND
(3) FOR LEGENDRE COEFFICIENTS ONE OF TWO OPTIONS MAY BE SELECTED,	
(A) CHANGE INDIVIDUAL COEFFICIENTS (NO ONE COEFFICIENT BY MORE THAN 1 PER-CENT) TO MAKE THE DISTRIBUTION POSITIVE WITH A	LEGEND LEGEND
MINIMUM VALUE OF 0.001 (1 MILLI-BARN). THE MAXIMUM PER-CENT	LEGEND
CHANGE IN EACH COEFFICIENT AND MINIMUM VALUE MAY BE CHANGED BY INPUT. INPUT THE PROGRAM CANNOT MAKE THE DISTRIBUTION	LEGEND LEGEND
POSITIVE BY CHANGING EACH COEFFICIENT BY UP TO THE MAXIMUM	LEGEND
ALLOWABLE AMOUNT, THE ORIGINAL ANGULAR DISTRIBUTION OR COEFFICIENTS WILL BE OUTPUT. ONLY IN THE LATTER CASE SHOULD	LEGEND LEGEND
ONE CONSIDER USING OPTION (B) DESCRIBED BELOW.	LEGEND
(B) LOGICALLY ADD THE SAME VALUE TO EACH POINT VALUE SUCH THAT WHEN THE DISTRIBUTION IS RE-NORMALIZED THE MINIMUM VALUE IS	LEGEND LEGEND
0.001 (1 MILLI-BARN). THIS IS EQUIVALENT AT INCREASING PO	LEGEND
BY A CERTAIN AMOUNT AND RE-NORMALIZATION IS EQUIVALENT TO THEN DIVIDING EACH COEFFICIENT BY A CERTAIN AMOUNT. THEREFORE,	NLEGEND LEGEND
WHAT IS PHYSICALLY DONE BY THE PROGRAM IS TO DIVIDE EACH	LEGEND
COEFFICIENT BY THE SAME AMOUNT. WARNINGEXCEPT FOR SELECTION OF THE MINIMUM VALUE (BY INPUT) THE USER HAS NO CONTROL OVER	LEGEND LEGEND
HOW MUCH THE DISTRIBUTION IS CHANGED. THEREFORE THIS OPTION	LEGEND
SHOULD BE USED WITH CAUTION.	LEGEND LEGEND
WARNING MESSAGES FROM PROGRAM	LEGEND
THE WARNING MESSAGES PRINTED BY THIS PROGRAM SHOULD ONLY BE	LEGEND LEGEND
CONSIDERED TO BE EXACTLY THATWARNINGSNOT AN ABSOLUTE JUDGEMENT	LEGEND
BY THIS PROGRAM THAT THERE IS SOMETHING WRONG WITH THE DATA. WHEN WARNING MESSAGES ARE PRINTED EXAMINE THE DATA AND EITHER TAKE NO	LEGEND LEGEND
ACTION (IF YOU FEEL THAT THE DATA IS O.K.) OR CORRECT THE DATA	LEGEND
(IF YOU FEEL THAT THE DATA IS INCORRECT AND YOU CAN CORRECT IT).	LEGEND LEGEND
VALIDITY OF MODIFIED DATA	LEGEND
BEFORE BELIEVING AND USING DATA WHICH HAS BEEN MODIFIED (EITHER	LEGEND LEGEND
TABULATED ANGULAR DISTRIBUTIONS OR LEGENDRE COEFFICIENTS) THE USES SHOULD INSURE THAT THE MODIFIED DATA IS PHYSICALLY MORE ACCEPTABLE	
THAN THE ORIGINAL DATA. IN ORDER TO DO THIS ONE OR MORE OF THE	LEGEND
FOLLOWING METHODS SHOULD BE USED,	LEGEND
(1) USE THE ENERGY VARIATION TESTS BUILT-IN TO THIS PROGRAM AND	LEGEND LEGEND
EVALPLOT TO PLOT THE ENERGY DEPENDENCE OF THE LEGENDRE COEFFICIENTS IN ORDER TO IDENTIFY AND CORRECT (BY HANDNOT	LEGEND LEGEND
BY THIS PROGRAM) ANY COEFFICIENTS WHICH HAVE UNREALISTIC	LEGEND
ENERGY AND L ORDER VARIATIONS. THIS SHOULD ALWAYS BE DONE FIRST TO ELIMINATE MAJOR PROBLEMS BEFORE USING THIS PROGRAM	LEGEND LEGEND
TO AUTOMATICALLY MAKE MINOR CORRECTIONS.	LEGEND
(1) OUTPUT AND PLOT THE UNCORRECTED AND CORRECTED ANGULAR DISTRIBUTIONS. COMPARE THE PLOTS TO INSURE THAT THE CORRECTED	LEGEND
DATA DOES NOT SERIOUSLY CHANGE THE ENERGY DEPENDENCE OF THE	LEGEND
ANGULAR DISTRIBUTION. (2) IF PLOTTING CAPABILITY IS NOT AVAIALABLE, USE THE PRINTED OUT	LEGEND LEGEND
OF THIS PROGRAM TO DETERMINE HOW MUCH THE TABULATED ANGULAR	LEGEND
DISTRIBUTION OR LEGENDRE COEFFICIENTS HAVE BEEN MODIFIED. GENERALLY IF ONE COEFFICIENT HAS BEEN ONLY SLIGHTLY MODIFIED	LEGEND LEGEND
THE DISTRIBUTION WILL BE ACCEPTABLE. HOWEVER IF MANY	LEGEND

		OEFFICIEN ELIABLE .	TS HAVE BEEN MODIFIED THE RESULT WILL NOT BE	LEGEND LEGEND
			DISTRIBUTIONS AND LEGENDRE COEFFICIENTS	LEGEND
				LEGEND
			OT CAN BE USED TO PLOT ANGULAR DISTRIBUTION AND	LEGEND
			ICIENTS - WHEN IT COMES TO CHECKING THIS TYPE OF NO SUBSTITUTE FOR PLOTS OF THE DATA TO MAKE THE	LEGEND LEGEND
			TRAIGHTFORWARD.	LEGEND
				LEGEND
			OEFFICIENTS EVALPLOT CAN BE USED TO SEE THE ENERGY	LEGEND
			EACH COEFFICIENT - THIS IS AN EXTREMELY EASY AND	LEGEND
	USEFU	L WAY TO	CHECK FOR ERRORS IN THE BASIC DATA.	LEGEND
	FOR A	NGULAR DT	STRIBUTION EVALPLOT CAN BE USED TO PLOT THEM AT	LEGEND LEGEND
			AT THEY ARE TABULATED - THIS IS ALSO AN EASY AND	LEGEND
			CHECK FOR ERRORS.	LEGEND
				LEGEND
		NIT DEFIN		LEGEND
		DESCRIPT		LEGEND LEGEND
				LEGEND
	2	INPUT CA	RDS	LEGEND
	3	OUTPUT R	EPORT	LEGEND
			DATA IN ENDF/B FORMAT	LEGEND
	11	FINAL DA	TA IN ENDF/B FORMAT	LEGEND
		NAT. STAND	ARD FILE NAMES (SEE SUBROUTINE FILIO1 AND FILIO2)	LEGEND LEGEND
				LEGEND
	UNIT	FILE NAM	E	LEGEND
	-			LEGEND
	-	LEGEND.I		LEGEND
		LEGEND.L ENDFB.IN		LEGEND LEGEND
		ENDFB.OU		LEGEND
				LEGEND
	INPUT	CARD		LEGEND
~ ~ ~				
			DESCRIPTION	LEGEND
		. FORMAT	DESCRIPTION	LEGEND
	D COLS	. FORMAT		
	D COLS  1-1	. FORMAT		LEGEND LEGEND
	D COLS  1-1	. FORMAT  1 E11.4	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT	LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1	. FORMAT  1 E11.4 2 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS)	LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1	. FORMAT  1 E11.4 2 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1	. FORMAT  1 E11.4 2 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS)	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1	. FORMAT  1 E11.4 2 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1	. FORMAT  1 E11.4 2 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2	. FORMAT  1 E11.4 2 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000.	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2	. FORMAT  1 E11.4 2 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2	. FORMAT  1 E11.4 2 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3	. FORMAT  1 E11.4 2 I11 3 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) = 2 - LINEARIZE AND THIN TABLES (OUTPUT TABLES)	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2	. FORMAT  1 E11.4 2 I11 3 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) = 2 - LINEARIZE AND THIN TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3	. FORMAT  1 E11.4 2 I11 3 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3	. FORMAT  1 E11.4 2 I11 3 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION.	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3	. FORMAT  1 E11.4 2 I11 3 I11	FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3 34-4	. FORMAT  1 E11.4 2 I11 3 I11 4 I11	<pre>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) = 2 - LINEARIZE AND THIN TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS).</pre>	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3	. FORMAT  1 E11.4 2 I11 3 I11 4 I11	<pre>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) = 2 - LINEARIZE AND THIN TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS). NEGATIVE ANGULAR DISTRIBUTION TREATMENT.</pre>	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3 34-4	. FORMAT  1 E11.4 2 I11 3 I11 4 I11	<pre>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) = 2 - LINEARIZE AND THIN TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS). NEGATIVE ANGULAR DISTRIBUTION TREATMENT. = 0 - NO CORRECTION</pre>	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3 34-4	. FORMAT  1 E11.4 2 I11 3 I11 4 I11	<pre>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS). NEGATIVE ANGULAR DISTRIBUTION TREATMENT. = 0 - NO CORRECTION = 1 - TABULATE DATA - NO CORRECTION.</pre>	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3 34-4	. FORMAT  1 E11.4 2 I11 3 I11 4 I11	<pre>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) = 2 - LINEARIZE AND THIN TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS). NEGATIVE ANGULAR DISTRIBUTION TREATMENT. = 0 - NO CORRECTION</pre>	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3 34-4	. FORMAT  1 E11.4 2 I11 3 I11 4 I11	<pre>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS). NEGATIVE ANGULAR DISTRIBUTION TREATMENT. = 0 - NO CORRECTION = 1 - TABULATE DATA - NO CORRECTION. - LEGENDRE DATA - CHANGE COEFFICIENTS (NONE BY MORE THAN 1.0 PER-CENT - CAN BE CHANGED BY INPUT).</pre>	LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND LEGEND
	D COLS  1-1 12-2 23-3 34-4	. FORMAT  1 E11.4 2 I11 3 I11 4 I11	<pre>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS). NEGATIVE ANGULAR DISTRIBUTION TREATMENT. = 0 - NO CORRECTION = 1 - TABULATE DATA - NO CORRECTION. - LEGENDRE DATA - CHANGE COEFFICIENTS (NORE BY MORE THAN 1.0 PER-CENT - CAN BE CHANGED BY INPUT). = 2 - FORCE DISTRIBUTIONS TO BE POSITIVE</pre>	LEGEND LEGEND
	D COLS  1-1 12-2 23-3 34-4 45-5	. FORMAT  1 E11.4 2 I11 3 I11 4 I11 5 I11	<pre>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) = 2 - LINEARIZE TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS). NEGATIVE ANGULAR DISTRIBUTION TREATMENT. = 0 - NO CORRECTION = 1 - TABULATE DATA - NO CORRECTION. - LEGENDRE DATA - CHANGE COEFFICIENTS (NONE BY MORE THAN 1.0 PER-CENT - CAN BE CHANGED BY INPUT). = 2 - FORCE DISTRIBUTIONS TO BE POSITIVE (TABULATED OR LEGENDRE DATA).</pre>	LEGEND LEGEND
	D COLS  1-1 12-2 23-3 34-4	. FORMAT  1 E11.4 2 I11 3 I11 4 I11 5 I11	<pre>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS). NEGATIVE ANGULAR DISTRIBUTION TREATMENT. = 0 - NO CORRECTION = 1 - TABULATE DATA - NO CORRECTION. - LEGENDRE DATA - CHANGE COEFFICIENTS (NORE BY MORE THAN 1.0 PER-CENT - CAN BE CHANGED BY INPUT). = 2 - FORCE DISTRIBUTIONS TO BE POSITIVE</pre>	LEGEND LEGEND
	D COLS  1-1 12-2 23-3 34-4 45-5	. FORMAT  1 E11.4 2 I11 3 I11 4 I11 5 I11	<ul> <li>FRACTIONAL THINNING CRITERIA MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS)</li> <li>*THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE.</li> <li>*IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000. TABULATED ANGULAR DISTRIBUTION TREATMENT</li> <li>0 - COPY TABLES</li> <li>1 - LINEARIZE TABLES (OUTPUT TABLES)</li> <li>2 - LINEARIZE AND THIN TABLES (OUTPUT TABLES)</li> <li>LEGENDRE COEFFICIENT TREATMENT</li> <li>0 - COPY LEGENDRE COEFFICIENTS</li> <li>1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES).</li> <li>2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES).</li> <li>2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS).</li> <li>NEGATIVE ANGULAR DISTRIBUTION TREATMENT.</li> <li>0 - NO CORRECTION</li> <li>1 - TABULATE DATA - NO CORRECTION.</li> <li>- LEGENDRE DATA - CHANGE COEFFICIENTS (NONE BY MORE THAN 1.0 PER-CENT - CAN BE CHANGED BY INPUT).</li> <li>2 - FORCE DISTRIBUTIONS TO BE POSITIVE (TABULATED OR LEGENDRE DATA).</li> <li>LEGENDRE COEFFICIENT VARIATION TEST FLAG.</li> </ul>	LEGEND LEGEND

			(A) T	EGENDRE ORDI	R INCREASES	S WITH ENERGY.	LEGEND
						COEFFICIENTS	LEGEND
			A	S A FUNCTION	OF ENERGY.		LEGEND
			(C) (	OEFFICIENTS	DECREASE AS	S A FUNCTION OF	LEGEND
				EGENDRE ORDE			LEGEND
2	1-60	60A1	ENDF/B INPU				LEGEND
_			• -	PTION = ENDI	•		LEGEND
3	1-60	60A1	ENDF/B OUTP				LEGEND
4	1 0	- 6	-	PTION = ENDI	B.OUT)		LEGEND
4-N	1- 6 7- 8	16 12	LOWER MAT L				LEGEND
	7- 8 9-11	12	LOWER MF LI LOWER MT LI				LEGEND LEGEND
	12-17		UPPER MAT L				LEGEND
	18-19		UPPER MF LI				LEGEND
	20-22		UPPER MT LI				LEGEND
	23-33	E11.4	LOWER ENERG	Y LIMIT			LEGEND
	34-44	E11.4	UPPER ENERG	Y LIMIT			LEGEND
	45-55	E11.4	MINIMUM ALL	OWABLE VALUE	E OF ANGULAF	R DISTRIBUTION	LEGEND
	56-66	E11.4		•	•	CHANGE IN ANY	LEGEND
				E COEFFICIEN			LEGEND
					-	ST EQUAL TO THE	LEGEND
			INPUT MINIM	UM ALLOWABLE	S VALUE).		LEGEND
	*IID TO	100 MAT	/MT/E RANGES	MAY DE TND		CTEVING AN	LEGEND
					•	DEFFICIENTS.	LEGEND LEGEND
			INATED BY A			JET ICIDAID.	LEGEND
					INPUT WILL	BE TREATED BY	LEGEND
	ALLOWI	NG A MI	NIMUM SIGMA	OF 0.001 (1	MILLI-BARN)	AND A CHANGE	LEGEND
	IN EAC	H COEFF	ICIENT BY UP	то 0.01 (1	PER-CENT).		LEGEND
	*THESE	MAT/MT/	E RANGES ARE	NOT USED TO	O CORRECT AI	L ANGULAR	LEGEND
						IUM. THEY ARE	LEGEND
			CORRECT DIST				LEGEND
						THE ANGULAR	LEGEND
						ED TO BE POSITIVE SIGMA (SPECIFIED	LEGEND
	BY INP		AS LARGE AS	THE MINIMOM	ALLOWABLE S	SIGMA (SPECIFIED	LEGEND
	DI INF	01).					LEGEND
	EXAMPLE	INPUT	NO. 1				LEGEND
							LEGEND
	PROCESS	BOTH L	EGENDRE COEF	FICIENTS AND	TABULATED	DATA TO OBTAIN	LEGEND
	ANGULAR	DISTRI	BUTION WHICH	ARE ACCURAT	TE TO WITHIN	0.1 PER-CENT	LEGEND
			ORRECTED TAB				LEGEND
						R DISTRIBUTION.	LEGEND
					BE CORRECTED	) THE INPUT NEED	LEGEND
	NOT SPE	CIFY MA	T/MT/E RANGE	S.			LEGEND
	סדאס /די		300/LEAD.IN	אים	NDED6/8200/	רגשע (	LEGEND LEGEND
	KEAD /E	NDE BO/K	SOUTLEAD.IN	AND WRITE /	INDEBO/RS00/	LEAD.001	LEGEND
	THE FOL	LOWING	4 INPUT LINE	S ARE REOUT	RED.		LEGEND
	1112 102	2011110			<u> </u>		LEGEND
1.0	0000- 3		501	2	1	0	LEGEND
/ENI	оғв6/к30	0/LEAD.	IN				LEGEND
/ENI	DFB6/K30						LEGEND
	(BLANK	CARD TE	RMINATED INF	UT)			LEGEND
							LEGEND
	EXAMPLE	INPUT	NO. 2				LEGEND
	DROCECC	BOTT T					LEGEND
						DATA TO OBTAIN N 0.1 PER-CENT	LEGEND LEGEND
						ION (ONLY THOSE	LEGEND
						CORRECTED).	LEGEND
						BUTION TO A VALUE	
	OF 0.01	(10 MI	LLI-BARNS) A	ND ALLOW LEG	SENDRE COEFE	FICIENTS TO BE	LEGEND
	CHANGED	BY UP	TO 0.02 (2 P	ER-CENT).			LEGEND
							LEGEND
						(THIS CAN BE	LEGEND
	DONE BY	LEAVIN	G THE SECOND	AND THIRD	NPUT LINES	BLANK).	LEGEND
	<b>MUE 201</b>	T OFFICE	E TNDIM		PED		LEGEND
	THE FOL	LOWING	5 INPUT LINE	S AKE REQUID	сы),		LEGEND LEGEND
1 0	0000- 3		501	2	1	1	LEGEND
1.00				-	-	-	

		99999999 0.00 RD TERMINATED		000+ 7 1.00	0000- 2 2.00000- 2	LEGEND LEGEND LEGEND LEGEND LEGEND
	EXAMPLE I	NPUT NO. 3				LEGEND
						LEGEND
					LATED DATA TO OBTAIN	LEGEND
					VITHIN 0.1 PER-CENT	LEGEND
					AND UNCORRECTED	LEGEND
					00, MT=2 CORRECT	LEGEND
					E MINIMUM IS 0.01	LEGEND
	•				FFICIENT TO CHANGE BY	
		•	•		WILL BE CORRECTED	LEGEND
			•	RN) ALLOWIN	NG A 0.01 (1 PER-CENT)	
	CHANGE (E	UILT-IN OPTIC	N).			LEGEND
					(#200 / FRAD. 017	LEGEND
	READ /END	FB6/K300/LEAD	. IN AND WRI	TE /ENDEB6/	K300/LEAD.OUT	LEGEND
	THE FOLLO	WING 5 INPUT	TTNEC ADE D	FOUTBED		LEGEND LEGEND
	THE FOLLC	WING 5 INPUT	LINES ARE R	EQUIRED,		LEGEND
1 00	000- 3	501	2	2	1	LEGEND
	) )FB6/K300/		2	2	1	LEGEND
•	)FB6/K300/					LEGEND
•			000+ 0 3 00	000+ 7 1 00	0000- 2 2.00000- 2	LEGEND
100		RD TERMINATED		0001 / 1.00	2 2:00000 2	LEGEND
	(Dimini Ch		INICI,			LEGEND
	EXAMPLE T	NPUT NO. 4				LEGEND
						LEGEND
	TO COPY T	ABULATED ANGU	LAR DISTRIB	UTTON AND	CONVERT LEGENDRE	LEGEND
		NTS TO UNCORR				LEGEND
						LEGEND
	USE THE D	EFAULT FILENA	MES ENDFB.I	N AND ENDFE	B.OUT (THIS CAN BE	LEGEND
	DONE BY L	EAVING THE SE	COND AND TH	IRD INPUT I	LINES BLANK) .	LEGEND
					·	LEGEND
	THE FOLLC	WING 4 INPUT	LINES ARE R	EQUIRED,		LEGEND
						LEGEND
1.00	000- 3	501	0	1	0	LEGEND
						LEGEND
						LEGEND
	(BLANK CA	RD TERMINATED	INPUT)			LEGEND
						LEGEND
=====						=LEGEND